



US00D539153S

(12) **United States Design Patent** (10) **Patent No.:** **US D539,153 S**
Marx et al. (45) **Date of Patent:** **** Mar. 27, 2007**

(54) **CONTAINER**

(75) Inventors: **Jonathan Brian Marx**, Northwood (GB); **Ketan Randeria**, Ontario (CA); **Craig Bradburne**, Chesterfield (GB); **Ronald M. Zieske**, Concord, OH (US)

(73) Assignee: **Robinson Paperboard Packaging North America Ltd.** (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/209,898**

(22) Filed: **Jul. 22, 2004**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529**

(58) **Field of Classification Search** D9/414, D9/424, 428, 500, 503-504, 516, 529, 549, D9/558; D28/7, 76, 85, 77, 88, 89

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,044,422	A	6/1936	Davidson	
2,303,322	A	12/1942	Bigger	
2,442,959	A	6/1948	Nyden et al.	
3,042,285	A	7/1962	Smith	
3,381,594	A	5/1968	Ellerbrock et al.	
3,851,812	A	12/1974	Bittel	
3,940,496	A	2/1976	Turpin et al.	
4,014,724	A	3/1977	Rausing	
4,235,341	A	11/1980	Martin et al.	
4,257,316	A	3/1981	Roder et al.	
4,286,745	A	9/1981	Fukuoka	
D271,050	S	* 10/1983	Berkman D28/77
D280,451	S	* 9/1985	Bakic D28/88
D285,730	S	* 9/1986	Bulwick D28/7
D302,384	S	* 7/1989	Holewinski D9/529
D303,303	S	* 9/1989	Cardia D28/88
D306,933	S	* 4/1990	Holewinski D9/529
4,978,406	A	12/1990	Nakano	
5,005,759	A	4/1991	Bouche	
D320,310	S	* 10/1991	Kuhn D4/114
5,076,440	A	12/1991	Drummond	
D324,332	S	* 3/1992	Seifert et al. D9/520

D330,512	S	* 10/1992	Ryberg D9/414
5,888,640	A	3/1999	Marotta et al.	
6,152,355	A	11/2000	Morrow et al.	
6,290,119	B1	9/2001	Reese et al.	
D473,457	S	* 4/2003	Reinoso D9/686
D473,974	S	* 4/2003	Fuller D28/89
D480,513	S	* 10/2003	Fuller D28/85
D483,273	S	* 12/2003	Lloyd D9/549
D518,369	S	* 4/2006	Haber et al. D9/428
D519,027	S	* 4/2006	Haber et al. D9/428

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Dana Sipos

(74) *Attorney, Agent, or Firm*—SAIDMAN DesignLaw Group


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a container of our new design shown in the open position;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a top perspective view of the bottom portion of the container of FIG. 1;
 FIG. 4 is a bottom perspective view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a front elevational view thereof;
 FIG. 7 is a right side elevational view thereof;
 FIG. 8 is a rear elevational view thereof;
 FIG. 9 is a top plan view thereof;
 FIG. 10 is a bottom plan view thereof;
 FIG. 11 is a top perspective view of the top portion of the container of FIG. 1;
 FIG. 12 is a bottom perspective view thereof;
 FIG. 13 is a side elevational view thereof;
 FIG. 14 is a top plan view thereof;
 FIG. 15 is a bottom plan view thereof;
 FIG. 16 is a top perspective view of the container of FIG. 1 shown in a closed position;
 FIG. 17 is a bottom perspective view thereof;
 FIG. 18 is a side elevational view thereof;
 FIG. 19 is a top plan view thereof; and,
 FIG. 20 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 16




FIG. 19




FIG. 20




FIG. 18