



US00D539364S

(12) **United States Design Patent**  
**Sofussen**

(10) **Patent No.:** **US D539,364 S**

(45) **Date of Patent:** **\*\* Mar. 27, 2007**

(54) **TOY FIGURE**

(75) Inventor: **Morten Sofussen**, Aarhus (DK)

(73) Assignee: **Interlego AG**, Baar (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,329**

(22) Filed: **Jul. 29, 2004**

(30) **Foreign Application Priority Data**

Jan. 29, 2004 (EM) ..... 128681

(51) **LOC (8) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/621**

(58) **Field of Classification Search** ..... D21/621,  
D21/623, 625, 645-649, 659, 578-583; 446/268,  
446/305, 360-361, 376, 379, 382-384, 136;  
434/266-267, 272

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,106,148	A	*	1/1938	Ach	.....	446/97
D210,471	S	*	3/1968	Kellner	.....	D21/621
D239,846	S	*	5/1976	Knudsen	.....	D21/621
D248,881	S	*	8/1978	Goldfarb et al.	.....	D21/621
D253,711	S	*	12/1979	Christiansen et al.	.....	D21/621
D278,735	S	*	5/1985	Nielsen	.....	D21/631
D317,796	S	*	6/1991	Laursen	.....	D21/621
D352,078	S	*	11/1994	Bertrand	.....	D21/621
D353,418	S	*	12/1994	Ryaa et al.	.....	D21/621
D353,856	S	*	12/1994	Ryaa et al.	.....	D21/621
D366,076	S	*	1/1996	Pedersen	.....	D21/621
D404,441	S	*	1/1999	Tong	.....	D21/621
D420,064	S	*	2/2000	Poirier et al.	.....	D21/621

**OTHER PUBLICATIONS**

Toys 'n' Playthings, vol. 20, Aug. 2001, No. 11, p. 41, 'Best Lock JCB Junior'.\*

Toys 'n' Playthings, vol. 20, Aug. 2001, No. 11, p. 35, 'Jack Stone' Lego.\*

\* cited by examiner

*Primary Examiner*—Janice Seeger

*Assistant Examiner*—Zenia I. Bennett

(74) *Attorney, Agent, or Firm*—Pitney Hardin LLP

(57) **CLAIM**

The ornamental design for a toy figure, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the first embodiment of the toy figure showing my new design;

FIG. 2 is a rear elevational view of the toy figure of FIG. 1;

FIG. 3 is a side elevational view of the toy figure of FIG. 1; the other side being a mirror image;

FIG. 4 is a top plan view of the toy figure of FIG. 1;

FIG. 5 is a bottom plan view of the toy figure of FIG. 1;

FIG. 6 is a front perspective view of the toy figure of FIG. 1;

FIG. 7 is rear perspective view of the toy figure of FIG. 1;

FIG. 8 is a front elevational view of a second embodiment of my new design;

FIG. 9 is a rear elevational view of the toy figure of FIG. 8;

FIG. 10 is a side elevational view of the toy figure of FIG. 8; the other side being a mirror image;

FIG. 11 is a top plan view of the toy figure of FIG. 8;


FIG. 12 is a bottom plan view of the toy figure of FIG. 8;

FIG. 13 is a front perspective view of the toy figure of FIG. 8; and,

FIG. 14 is a rear perspective view of the toy figure of FIG. 8.

The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 2




FIG. 3




FIG. 1




FIG. 5




FIG. 4




FIG. 7



FIG. 6




FIG. 9



FIG. 10




FIG. 8




FIG. 12




FIG. 11




FIG. 14




FIG. 13