



US00D539465S

(12) **United States Design Patent**  
**Rokke et al.**

(10) **Patent No.:** **US D539,465 S**

(45) **Date of Patent:** **\*\* Mar. 27, 2007**

(54) **LUMINOUS DEVICE**

(75) Inventors: **Ragnhild Mariane Rokke**, Austin, TX (US); **Kit R. Morris**, Austin, TX (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/239,720**

(22) Filed: **Oct. 3, 2005**

(51) **LOC (8) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/106**

(58) **Field of Classification Search** ..... D26/93-112;  
D11/131; 362/410-414, 806  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|            |         |               |
|------------|---------|---------------|
| 858,251 A  | 6/1907  | Atterholt     |
| D199,141 S | 9/1964  | Curry         |
| D271,429 S | 11/1983 | Andersen      |
| D280,445 S | 9/1985  | Boss          |
| D280,937 S | 10/1985 | Sher          |
| D280,939 S | 10/1985 | Sher          |
| D323,223 S | 1/1992  | Camino et al. |
| D328,156 S | 7/1992  | Bonander, Jr. |
| D428,513 S | 7/2000  | Lee et al.    |
| D428,664 S | 7/2000  | Lee et al.    |
| D468,044 S | 12/2002 | Lam           |
| D469,207 S | 1/2003  | Chang         |
| D480,497 S | 10/2003 | Lau Ting Yup  |

|                 |         |                |
|-----------------|---------|----------------|
| D485,390 S      | 1/2004  | Stancik et al. |
| D496,126 S      | 9/2004  | Huang          |
| 6,824,289 B2    | 11/2004 | Vanderschuit   |
| D501,574 S      | 2/2005  | Evans          |
| D503,491 S      | 3/2005  | Shen           |
| 2005/0073833 A1 | 4/2005  | Vanderschuit   |

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Linda Brooks


(57) **CLAIM**




The ornamental design for a luminous device, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a first environment of the luminous device showing our new design;  
 FIG. 2 is a top plan view of the luminous device of FIG. 1;  
 FIG. 3 is a bottom view of the luminous device of FIG. 1;  
 FIG. 4 is a right side elevational view of the luminous device of FIG. 1;  
 FIG. 5 is a left side elevational view of the luminous device of FIG. 1;  
 FIG. 6 is a front view of the luminous device of FIG. 1;  
 FIG. 7 is a rear view of the luminous device of FIG. 1;  
 FIG. 8 is a front view of a second environment of the luminous device, with the base removed, showing our design; and,  
 FIG. 9 is a bottom view of the luminous device of FIG. 8.  
 The broken lines appearing in FIGS. 1, 3-7, and 9 are for the purposes of illustration only, and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**

