

US00D539531S

(12) **United States Design Patent**  
**Clark**

(10) **Patent No.:** **US D539,531 S**

(45) **Date of Patent:** **\*\* Apr. 3, 2007**

(54) **FLEXIBLE HOLSTER**

(76) **Inventor:** **Edward Lewis Clark**, 880 W. Rialto Ave., Rialto, CA (US) 92376

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/256,097**

(22) **Filed:** **Mar. 16, 2006**

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/228; D3/223**

(58) **Field of Classification Search** ..... D3/228,  
D3/215, 222-224, 226, 229; 224/220, 251,  
224/148.4, 148.6, 901, 904, 149-150, 578-579,  
224/673

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,082,156 A \* 1/1992 Braun ..... 224/220  
D338,561 S \* 8/1993 Leiserson et al. .... D3/229  
D414,331 S \* 9/1999 Lichtenberger ..... D3/228

D488,924 S \* 4/2004 Miller ..... D3/228  
6,907,877 B2 \* 6/2005 Balogh, II ..... 128/200.24  
D530,505 S \* 10/2006 Mayfield ..... D3/228

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(57) **CLAIM**

The ornamental design for a flexible holster, as shown and described.

**DESCRIPTION**


FIG. 1 is a top view of a flexible holster in unfolded position showing my new design;  
FIG. 2 is a right side elevation view thereof;  
FIG. 3 is front elevation view thereof;  
FIG. 4 is a left side elevation view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a rear elevation view thereof; and,  
FIG. 7 is a front view of the flexible holster shown in use, the tool and the belt are shown in broken lines and form no part of the claimed invention.

**1 Claim, 3 Drawing Sheets**

*Fig. 1*




*Fig. 2*




*Fig. 4*




*Fig. 3*




*Fig. 5*



*Fig. 6*





*Fig. 7*