



US00D539651S

(12) **United States Design Patent** (10) **Patent No.:** **US D539,651 S**
Snyder (45) **Date of Patent:** **** Apr. 3, 2007**

(54) **COMBINED BOTTLE AND CAP**

(75) Inventor: **Steven Snyder**, Tempe, AZ (US)

(73) Assignee: **21st Century Health Care, Inc.**,
Tempe, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/258,060**

(22) Filed: **Apr. 15, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/520; D9/571; D9/573;**
D9/449

(58) **Field of Classification Search** **D9/516,**
D9/520, 529, 559-560, 571-575, 446, 449;
215/381-385, 396, 398; 220/660, 662, 669,
220/675

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,127,141	A	*	2/1915	Whitcomb	215/382
D120,756	S	*	5/1940	Higgins	D9/573
3,129,528	A	*	4/1964	Gausewitz	215/385 X
D217,435	S	*	5/1970	Wire	D9/560
D279,261	S	*	6/1985	Blocksom et al.	D9/571
D294,122	S	*	2/1988	Weber	D9/571
D306,695	S	*	3/1990	Smith	D9/563
D313,176	S	*	12/1990	Okuda et al.	D9/560 X
D320,554	S	*	10/1991	Van Dine et al.	D9/574
D330,677	S	*	11/1992	Thornock et al.	D9/558
D360,134	S	*	7/1995	Snyder	D9/520
5,544,768	A	*	8/1996	Gargione	D9/454 X
D388,712	S	*	1/1998	Lyngdal et al.	D9/571 X
D396,189	S	*	7/1998	Lonczak et al.	D9/574 X
D456,271	S	*	4/2002	Maloney	D9/560
D481,640	S	*	11/2003	Biesecker	D9/560
D505,331	S	*	5/2005	Lane et al.	D9/574 X
6,988,642	B2	*	1/2006	Gallo et al.	215/235 X

OTHER PUBLICATIONS

Glass Containers, front row on left side of p. 50, Owens-Illinois Glass Co., OH, © 1931.*

Duraglas Containers—Drug, Chemical & Toiletry Industries, “Miscellaneous W/M Squares—Style B”, right side of p. 19, Owens-Illinois Glass Co., OH, © 1962.*

* cited by examiner

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—The Halvorson Law Firm

(57) **CLAIM**

The ornamental design for a combined bottle and cap, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a first embodiment of the combined bottle and cap, according to the present invention;

FIG. 2 is a top, front and left side perspective view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom, rear and right side perspective view thereof;

FIG. 10 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap, according to the present invention;

FIG. 11 is a top, front and left side perspective view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a front elevational view thereof;


FIG. 15 is a left side elevational view thereof;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a top plan view thereof; and,

FIG. 18 is a bottom, rear, and right side perspective view thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18