



US00D539756S

(12) **United States Design Patent**
Sasaki et al.

(10) **Patent No.:** **US D539,756 S**

(45) **Date of Patent:** **** Apr. 3, 2007**

(54) **LIGHTING CONTROLLER**

6,624,731 B2 * 9/2003 Passow et al. 335/202
2003/0076204 A1 * 4/2003 Whipple et al. 335/202

(75) Inventors: **Tomoaki Sasaki**, Tsu (JP); **Naoki Kanemoto**, Tsu (JP); **Takafumi Imai**, Kamakiri Tsu (JP); **Noriaki Iwao**, Kamakiri Tsu (JP)

OTHER PUBLICATIONS

National Matsushita Electric Works, Ltd. Densetsushizai 2002–2004, Jun. 2002, 3 pages.

(73) Assignee: **Matsushita Electric Works, Ltd.** (JP)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Selina Sikder

(21) Appl. No.: **29/237,776**

(74) *Attorney, Agent, or Firm*—Osha • Liang LLP

(22) Filed: **Sep. 7, 2005**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a lighting controller, as shown and described.

Mar. 7, 2005 (JP) 2005-006627

DESCRIPTION

(51) **LOC (8) Cl.** **13-03**

FIG. 1 is a bottom, front, and right side perspective view of the design according to the invention wherein a portion is shown in exploded condition for clarity.

(52) **U.S. Cl.** **D13/159; D13/164**

FIG. 2 is a top, front, and right side perspective view of the design according to the invention wherein a portion is shown in exploded condition for clarity.

(58) **Field of Classification Search** D13/147, D13/158, 159, 160, 164; 200/237, 293; 307/125; 335/6, 78, 106, 121, 128, 132, 133, 202; 337/14, 36, 49; 361/160, 626, 819; 439/160, 439/687, 692

FIG. 3 is a front view of the design according to the invention.

See application file for complete search history.

FIG. 4 is a rear view of the design according to the invention.

(56) **References Cited**

FIG. 5 is a top view of the design according to the invention.

U.S. PATENT DOCUMENTS

FIG. 6 is a bottom view of the design according to the invention.


- 3,482,201 A * 12/1969 Schneck 439/497
- 3,845,460 A * 10/1974 Fujita et al. 439/687
- D255,350 S * 6/1980 Fujita et al. D13/159
- 4,891,621 A * 1/1990 Heckenkamp et al. 337/49
- 5,000,692 A * 3/1991 Taniguchi et al. 439/160
- 5,250,920 A * 10/1993 Fujihisa et al. 335/202
- D340,912 S * 11/1993 Miller D13/154
- 5,589,809 A * 12/1996 Kogawa et al. 337/36
- D472,878 S * 4/2003 Kitamura D13/147

FIG. 7 is a left side view of the design according to the invention.

FIG. 8 is a right side view of the design according to the invention; and,

FIG. 9 is a sectional view of the design according to the invention taken along line 9—9 in FIG. 3.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8