



US00D539856S

(12) **United States Design Patent**  
**Moosavi et al.**

(10) **Patent No.:** **US D539,856 S**

(45) **Date of Patent:** **\*\* Apr. 3, 2007**

(54) **COMBINED BALANCING CAT FIGURE AND STAND**

(76) Inventors: **Shahnam Moosavi**, P.O. Box 412, Show Low, AZ (US) 85902; **Shahin Moosavi**, P.O. Box 412, Show Low, AZ (US) 85902

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/243,874**

(22) Filed: **Nov. 30, 2005**

(51) **LOC (8) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/399; D11/158; D21/585**

(58) **Field of Classification Search** ..... D21/399, D21/404, 585, 587, 594, 617; D11/127, 131, D11/141, 157, 158; D32/62; 446/268, 325, 446/326, 385, 396; 40/411, 415, 426; 428/15, 428/16, 542.2, 542.4

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D94,944 S \* 3/1935 Bissell ..... D21/399
- D95,545 S \* 5/1935 Reynolds ..... D32/62
- D148,061 S \* 12/1947 Gilham ..... D21/399

- 2,551,668 A \* 5/1951 Goosmann ..... 446/326
- D190,504 S \* 6/1961 Rosenfeld ..... D21/399
- 3,376,664 A \* 4/1968 Sauer ..... 446/176
- 3,417,506 A \* 12/1968 Howell ..... 446/326
- D228,081 S \* 8/1973 Baksai ..... D21/399
- D229,458 S \* 12/1973 Schneider ..... D6/455
- D276,759 S \* 12/1984 Inspector ..... D2/979
- D308,472 S \* 6/1990 Goetz ..... D8/382

\* cited by examiner

*Primary Examiner*—Catherine Tuttle

(57) **CLAIM**



The ornamental design for a combined balancing cat figure and stand, as shown and described.

**DESCRIPTION**

FIG. 1 is perspective view showing the design with the cat figure standing on its longer (left) leg; and, FIG. 2 is an enlarged scale, partial perspective view showing our design with the cat figure standing on its shorter (right) leg.

In the absence of surface shading, is understood that the claim does not extend to any aspects of the surface appearance other than the face details, but is limited to the shape and configuration shown by the outlines.

**1 Claim, 2 Drawing Sheets**







FIG. 1



**FIG. 2**