

US00D540151S

(12) **United States Design Patent**
Ebersole

(10) **Patent No.:** **US D540,151 S**

(45) **Date of Patent:** **** Apr. 10, 2007**

(54) **BRACKET FOR A PORTABLE DEADBOLT LOCK**

6,926,316 B2 * 8/2005 Patire et al. 292/290
6,976,716 B2 * 12/2005 Lin 292/288

(75) Inventor: **Larry Ebersole**, Broken Arrow, OK (US)

* cited by examiner

Primary Examiner—Mitchell Siegel

(73) Assignee: **Divine Ideas, L.L.C.**, Broken Arrow, OK (US)

(74) *Attorney, Agent, or Firm*—Dunlap, Coddling & Rogers, P.C.

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a bracket for a portable deadbolt lock, as shown and described.

(21) Appl. No.: **29/236,053**

(22) Filed: **Aug. 10, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/343**

(58) **Field of Classification Search** D8/330–348;
292/297–298, 292–295, 341.17, 340, 346,
292/256, 264, 205, 281; 70/417–418, 450,
70/455

FIG. 1 is a perspective view of a bracket for a portable deadbolt lock showing my new design, the bracket of the portable deadbolt lock being installed between a door jamb and a door with a lock member of the portable deadbolt lock positioned within a slot in the bracket of the portable deadbolt lock and bearing against the door. The broken line showing is included for the purpose of illustrating and forms no part of the claimed design.

See application file for complete search history.

FIG. 2 is a side elevational view of the bracket for a portable deadbolt lock;

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,815,305	A	3/1989	Smith	
4,852,920	A *	8/1989	DeForrest, Sr.	292/205
4,869,087	A *	9/1989	Day	70/417
D317,111	S *	5/1991	Johns	D8/344
D319,964	S *	9/1991	Johns	D8/344
5,076,624	A	12/1991	Gotanda	
D376,747	S *	12/1996	Jackson	D8/330
6,049,276	A	4/2000	Agozzino	
6,332,344	B1	12/2001	Montoya	
6,416,089	B1 *	7/2002	Williams, Jr.	292/288
6,478,348	B2	11/2002	Lahey	
6,658,906	B1 *	12/2003	Wright	70/455

FIG. 3 is a side elevational view of the bracket for a portable deadbolt lock generally opposite that shown in FIG. 2;


FIG. 4 is a top plan view of the bracket for a portable deadbolt lock;

FIG. 5 is a bottom plan view of the bracket for a portable deadbolt lock;

FIG. 6 is front elevational view of the bracket for a portable deadbolt lock; and,

FIG. 7 is a rear elevational view of the bracket for a portable deadbolt lock.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7