



US00D540991S

(12) **United States Design Patent**
Kishihara et al.

(10) **Patent No.: US D540,991 S**

(45) **Date of Patent: ** Apr. 17, 2007**

(54) **WORK GLOVE WITH REINFORCED, SLIP-
PREVENTIVE PALM**

(75) Inventors: **Hidetoshi Kishihara**, Himeji (JP);
Yasuhiro Fukushima, Himeji (JP); **Ryo
Saito**, Himeji (JP); **Hisao Kakuto**,
Himeji (JP); **Kazuki Sumiyoshi**, Himeji
(JP)

(73) Assignee: **Showa Co.**, Hyogo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/229,138**

(22) Filed: **May 4, 2005**

(30) **Foreign Application Priority Data**

Feb. 9, 2005 (JP) 2005-003295
Feb. 9, 2005 (JP) 2005-003296

(51) **LOC (8) Cl.** **02-06**

(52) **U.S. Cl.** **D29/117.2**

(58) **Field of Classification Search** D2/610,
D2/617-621, 623; D29/113-114, 116.2, 117.1,
D29/117.2, 123; 2/16, 20, 159, 161.1-161.8,
2/907, 910, 917

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,388,733 A * 6/1983 Anstett 2/16
4,399,567 A * 8/1983 Weon Joong 2/161.6
D310,133 S * 8/1990 Chen et al. D29/117.1
D367,752 S * 3/1996 Bruckert D29/117.1
D500,396 S * 1/2005 Akagi D2/617
D500,900 S * 1/2005 Shim D29/123
D515,785 S * 2/2006 Kishihara et al. D2/623

* cited by examiner

Primary Examiner—Robert A. Delehanty
(74) *Attorney, Agent, or Firm*—Steptoe & Johnson LLP

(57) **CLAIM**

The ornamental design for a work glove with reinforced, slip-preventive palm, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, from an upper or inner side position of the top or back-of-the-hand of the work glove design of the present invention having a reinforced, slip-preventive palm;

FIG. 2 is a perspective view, from a lower or outer side position of the top or back-of-the-hand of the inventive work glove design of FIG. 1;

FIG. 3 is a top or back-of-the-hand, palm down view of the inventive work glove design of FIG. 1;

FIG. 4 is a palm-up or palm face view of the inventor inventive work glove design of FIG. 1, showing the reinforced, slip-preventive palm;

FIG. 5 is a front or finger tip, palm down view, of the inventive work glove design of FIG. 1, showing the reinforced, slip-preventive palm;

FIG. 6 is a rear or cuff, palm down view, of the inventive work glove design of FIG. 1, showing the reinforced slip-preventive palm; and,

FIG. 7 is a outer side or edge, palm down view, of the inventive work glove design of FIG. 1, showing the reinforced, slip-preventive palm.

All FIGS. 1-7, respectively, above, illustrate right hand work glove designs of the present invention having a reinforced, slip-preventive palm face, it is to be understood that the invention of this application includes left hand work glove work designs having a reinforced, slip-preventive palm face, which would be illustrated as mirror images of any or all of the views shown in FIGS. 1-7, respectively, herein.

1 Claim, 7 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7