



US00D541069S

(12) **United States Design Patent**  
**Peitz et al.**

(10) **Patent No.: US D541,069 S**  
(45) **Date of Patent: \*\* Apr. 24, 2007**

(54) **CHAIR**

**DESCRIPTION**

(76) Inventors: **Timothy V. Peitz**, 16202 Albain Rd., Petersburg, MI (US) 49270; **Phillip P. Swy**, 1845 W. Dean Rd., Temperance, MI (US) 48182

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/262,150**

(22) Filed: **Jun. 27, 2006**

**Related U.S. Application Data**

(62) Division of application No. 29/204,573, filed on Apr. 30, 2004.

(51) **LOC (8) Cl.** ..... **06-01**

(52) **U.S. Cl.** ..... **D6/374**

(58) **Field of Classification Search** ..... D6/334-336,  
D6/360, 368, 374, 375, 376, 379, 380, 500-502;  
297/183.1, 445.1, 446.1, 452.1, 452.2, 452.38,  
297/183.7, 285, 296, 297, 452.48

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D96,183 S	*	7/1935	Hoffman	.....	D6/380
2,439,322 A	*	4/1948	Thaden	.....	297/183.7
D182,730 S	*	5/1958	Jakobsen	.....	D6/502
3,291,529 A	*	12/1966	Straits	.....	297/183.7
D321,098 S	*	10/1991	Toffoloni	.....	D6/379
D380,909 S	*	7/1997	Barile	.....	D6/334
D390,018 S	*	2/1998	Lee	.....	D6/334

(Continued)

*Primary Examiner*—Mimosa De

(74) *Attorney, Agent, or Firm*—Gifford, Krass, Groh, Sprinkle, Anderson & Citowski, PC

(57) **CLAIM**

We claim the ornamental design for a chair, as shown and described.

FIG. 1 is a perspective view of a first embodiment of a chair according to the present invention;

FIG. 2 is a side elevational view of the chair of FIG. 1, the opposite side view being a mirror image thereof;

FIG. 3 is a top plan view of the chair of FIGS. 1 and 2;

FIG. 4 is a front elevational view of the chair of FIGS. 1-3;

FIG. 5 is a rear elevational view of the chair of FIGS. 1-4;

FIG. 6 is a bottom view of the chair of FIGS. 1-5;

FIG. 7 is a perspective view of second embodiment of the chair of FIG. 1;

FIG. 8 is a side elevational view of the chair of FIG. 7, the opposite side view being a mirror image thereof;

FIG. 9 is a top plan view of the chair of FIGS. 7 and 8;

FIG. 10 is a front elevational view of the chair of FIGS. 7-9;

FIG. 11 is a rear elevational view of the chair of FIGS. 7-10;

FIG. 12 is a bottom view of the chair of FIGS. 7-11;

FIG. 13 is a perspective view of a third embodiment of the chair of FIG. 1;

FIG. 14 is a side elevational view of the chair of FIG. 13, the opposite side view being a mirror image thereof;

FIG. 15 is a top plan view of the chair of FIGS. 13 and 14;

FIG. 16 is a front elevational view of the chair of FIGS. 13-15;

FIG. 17 is a rear elevational view of the chair of FIGS. 13-16;

FIG. 18 is a bottom view of the chair of FIGS. 13-17;

FIG. 19 is a perspective view of a fourth embodiment of the chair of FIG. 1;

FIG. 20 is a side elevational view of the chair of FIG. 19, the opposite side view being a mirror image thereof;

FIG. 21 is a top plan view of the chair of FIGS. 19 and 20;



FIG. 22 is a front elevational view of the chair of FIGS. 19-21;

FIG. 23 is a rear elevational view of the chair of FIGS. 19-22; and,

FIG. 24 is a bottom view of the chair of FIGS. 19-23.

The fragmented crosshatching shown on the seat and backrest member is understood to represent fabric and would be continuous throughout the circumscribed areas.

**1 Claim, 8 Drawing Sheets**



# US D541,069 S


Page 2

---


## U.S. PATENT DOCUMENTS

D433,836 S	*	11/2000	Barile, Sr.	.....	D6/380	D486,003 S	*	2/2004	Roth	.....	D6/379
D444,308 S	*	7/2001	Ooyama	.....	D6/360	D486,317 S	*	2/2004	Roth	.....	D6/379
D444,636 S	*	7/2001	Ooyama	.....	D6/360	6,805,412 B2	*	10/2004	Roth	.....	297/452.2
D446,037 S	*	8/2001	Koepke et al.	.....	D6/379	D497,729 S	*	11/2004	Peitz et al.	.....	D6/379
D448,954 S	*	10/2001	Sato	.....	D6/500	D502,030 S	*	2/2005	Barile, Sr.	.....	D6/500
D470,317 S	*	2/2003	Roth	.....	D6/334	7,052,083 B2	*	5/2006	Peitz et al.	.....	297/183.1
D470,321 S	*	2/2003	Roth	.....	D6/379	2003/0047981 A1	*	3/2003	Roth	.....	297/445.1


\* cited by examiner




**FIG - 1**




**FIG - 2**




**FIG - 3**




**FIG - 4**




**FIG - 5**




**FIG - 6**




**FIG - 7**




**FIG - 8**




**FIG - 9**




**FIG - 10**




**FIG - 11**




**FIG - 12**




**FIG - 13**




**FIG - 14**




**FIG - 15**



**FIG - 16**




**FIG - 17**




**FIG - 18**







**FIG - 19**




**FIG - 20**




**FIG - 21**



**FIG - 22**



**FIG - 23**



**FIG - 24**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 541,069 S  
APPLICATION NO. : 29/262150  
DATED : April 24, 2007  
INVENTOR(S) : Timothy V. Peitz et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, item [75]:

Inventor's name; replace "Phillip P. Swy" with --Philip P. Swy--

Signed and Sealed this

First Day of July, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS

*Director of the United States Patent and Trademark Office*