



US00D541164S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,164 S**  
**Yamasaki et al.** (45) **Date of Patent:** **\*\* Apr. 24, 2007**

(54) **CONTAINER**

(75) Inventors: **Seiji Yamasaki**, Hyogo-ken (JP);  
**Takahiro Washio**, Hyogo-ken (JP);  
**Hiromi Eguchi**, Osaka (JP)

(73) Assignee: **Kobayashi Pharmaceutical Co., Ltd.**,  
Osaka (JP)

(\*\*) **Term:** **14 Years**

(21) Appl. No.: **29/244,674**

(22) Filed: **Dec. 12, 2005**

(30) **Foreign Application Priority Data**

Jun. 14, 2005 (JP) ..... 2005-017211

(51) **LOC (8) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/529**

(58) **Field of Classification Search** ..... D9/529,  
D9/516, 574, 724, 694, 689, 682, 686, 687,  
D9/723, 727, 728, 729, 521, 549, 558, 571,  
D9/572, 573, 564, 566, 567, 569, 570; 215/381,  
215/382, 383, 384; D24/110, 115, 224  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D237,943 S \* 12/1975 Alemagna ..... D9/417  
D258,868 S \* 4/1981 Soderberg ..... D9/529  
D278,599 S \* 4/1985 Lane ..... D9/529  
D299,694 S \* 2/1989 Geiger ..... D9/686  
D308,023 S \* 5/1990 Dinand ..... D9/529  
D323,982 S \* 2/1992 Geiger ..... D9/529  
D343,123 S \* 1/1994 de Morques ..... D9/529

D347,388 S \* 5/1994 Crawford ..... D9/529  
D373,536 S \* 9/1996 Kokenge et al. .... D9/529  
D376,105 S \* 12/1996 Thompson ..... D9/529  
D377,147 S \* 1/1997 Baron ..... D9/529  
D399,130 S \* 10/1998 Monaghan ..... D9/686  
D413,796 S \* 9/1999 Mansau ..... D9/631  
D419,432 S \* 1/2000 Evans ..... D9/690  
D471,820 S \* 3/2003 Faillant-Dumas ..... D9/529  
D478,816 S \* 8/2003 Joubert ..... D9/529  
D481,952 S \* 11/2003 Orsomando ..... D9/529

\* cited by examiner

*Primary Examiner*—Stella Reid

*Assistant Examiner*—Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm*—Townsend and Townsend  
and Crew LLP

(57) **CLAIM**


The ornamental design for the container, as shown and  
described.


**DESCRIPTION**

FIG. 1 is a perspective view of our new container design;  
FIG. 2 is the top plan view thereof;  
FIG. 3 is the front elevation view thereof with rear eleva-  
tional view being a mirror image thereof;  
FIG. 4 is the right side elevational view thereof with the left  
side elevational view being a mirror image thereof;  
FIG. 5 is the bottom plan view thereof; and,  
FIG. 6 is a side elevational view.


The broken line showing of a internal nozzle in FIG. 5 is  
included for the purpose of illustrating and forms no part of  
the claimed design.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 6**



**FIG. 5**