

US00D541214S

(12) **United States Design Patent**  
**Ino et al.**

(10) **Patent No.:** **US D541,214 S**  
(45) **Date of Patent:** **\*\* Apr. 24, 2007**

(54) **CHARGER**

(75) Inventors: **Tomoaki Ino**, Hikone (JP); **Taro Mochida**, Chuo-ku (JP); **Satoshi Fujii**, Yao (JP)

(73) Assignee: **Matsushita Electric Works, Inc.**, Osaka (JP)

(\*\*) **Term:** **14 Years**

(21) Appl. No.: **29/260,006**

(22) Filed: **May 18, 2006**

(30) **Foreign Application Priority Data**

Nov. 18, 2005 (JP) ..... 2005-033982

(51) **LOC (8) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/107**

(58) **Field of Classification Search** ..... D13/107-110,  
D13/118-119, 184; D14/251, 253, 432, 434;  
320/107-115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D313,004 S \* 12/1990 Hasegawa et al. .... D13/108
- D321,337 S \* 11/1991 Sakamoto et al. .... D13/108
- D327,669 S \* 7/1992 Sakamoto et al. .... D13/108
- 5,148,094 A \* 9/1992 Parks et al. .... 320/110
- D400,499 S \* 11/1998 Bunyea ..... D13/107
- D404,006 S \* 1/1999 Clowers et al. .... D13/107
- D429,211 S \* 8/2000 Ohi et al. .... D13/107
- D440,202 S \* 4/2001 Heun ..... D13/107

- D442,140 S \* 5/2001 Kasuya et al. .... D13/107
- D472,875 S \* 4/2003 Garvis et al. .... D13/107
- D506,436 S \* 6/2005 Cheung et al. .... D13/107
- D506,725 S \* 6/2005 Watson ..... D13/108
- 7,064,519 B2 \* 6/2006 Ito ..... 320/112

**FOREIGN PATENT DOCUMENTS**

JP 1239843 5/2005

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Rosemary K. Tarcza

(74) *Attorney, Agent, or Firm*—Osha Liang LLP

(57) **CLAIM**

The ornamental design for a charger, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the design according to the invention.

FIG. 2 is a front view of the design according to the invention.

FIG. 3 is a rear view of the design according to the invention.


FIG. 4 is a left side view of the design according to the invention.


FIG. 5 is a right side view of the design according to the invention.

FIG. 6 is a top view of the design according to the invention; and,


FIG. 7 is a bottom view of the design according to the invention.

**1 Claim, 4 Drawing Sheets**







*FIG. 1*




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 541,214 S  
APPLICATION NO. : 29/260006  
DATED : April 24, 2007  
INVENTOR(S) : Tomoaki Ino et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page item (73) Assignee: "Matsushita Electric Works, Inc.," should be  
**--Matsushita Electric Works, Ltd.--.**

Signed and Sealed this

Twenty-eighth Day of August, 2007

A handwritten signature in black ink on a dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*