

US00D541224S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,224 S**  
**Mayo et al.** (45) **Date of Patent:** **\*\* Apr. 24, 2007**

(54) **DIMMER SWITCH**

(75) Inventors: **Noel Mayo**, Philadelphia, PA (US);  
**Elliot G. Jacoby**, Glenside, PA (US);  
**Brad M. Kreschollek**, Bethlehem, PA  
(US); **Paul A. Larson**, Macungie, PA  
(US); **Joel S. Spira**, Coopersburg, PA  
(US)

(73) Assignee: **Lutron Electronics Co., Inc.**,  
Coopersburg, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/264,660**

(22) Filed: **Aug. 15, 2006**

**Related U.S. Application Data**

(62) Division of application No. 29/214,395, filed on Oct. 1,  
2004.

(51) **LOC (8) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/162; D13/170; D13/171**

(58) **Field of Classification Search** ..... D13/162,  
D13/164, 169, 170, 171; D10/108, 116, 118;  
D8/353; 200/5 A, 293, 296, 297, 329, 333,  
200/335, 339, 341, 520, 530, 537, 552; 220/241;  
307/125, 139; 315/291-296

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                 |         |                |       |           |
|-----------------|---------|----------------|-------|-----------|
| D249,141 S      | 8/1978  | Mayo           | ..... | D13/125   |
| D329,635 S      | 9/1992  | Tsai           | ..... | D13/110   |
| D440,207 S      | 4/2001  | Carson et al.  | ..... | D13/162   |
| 6,533,551 B2    | 3/2003  | Escobar et al. | ..... | 416/244 R |
| D481,365 S *    | 10/2003 | Mayo et al.    | ..... | D13/171   |
| 6,710,274 B2    | 3/2004  | Whetzel et al. | ..... | 200/330   |
| 6,774,328 B2    | 8/2004  | Adams et al.   | ..... | 200/329   |
| D517,503 S      | 3/2006  | Mayo et al.    | ..... | D13/171   |
| D522,464 S      | 6/2006  | Mayo et al.    | ..... | D13/171   |
| 2003/0089587 A1 | 5/2003  | Mayo et al.    | ..... | 200/329   |

\* cited by examiner

*Primary Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath  
LLP

(57) **CLAIM**

The ornamental design for a dimmer switch, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a dimmer switch  
showing a first embodiment of our new design.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a front perspective view of a dimmer switch  
according to a second embodiment of the design shown in  
FIG. 1.

FIG. 8 is a front elevation view thereof, the left side, right  
side, bottom, and top views being identical to the left side,  
right side, bottom, and top views of the first embodiment.

FIG. 9 is a front perspective view of a dimmer switch  
according to a third embodiment of the design shown in FIG.  
1.

FIG. 10 is a front elevation view thereof.

FIG. 11 is a left side view thereof.

FIG. 12 is a right side view thereof.

FIG. 13 is a bottom view thereof.


FIG. 14 is a top view thereof.

FIG. 15 is a front perspective view of a dimmer switch  
according to a fourth embodiment of the design shown in  
FIG. 1; and,

FIG. 16 is a front elevation view thereof, the left side, right  
side, bottom, and top views being identical to the left side,  
right side, bottom, and top views of the third embodiment.

The rear views form no part of the design and are omitted.  
The portions of the drawings appearing in broken line are for  
environment only and do not form a part of the design.

**1 Claim, 12 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16