

US00D541467S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,467 S**
Gould (45) **Date of Patent:** **** Apr. 24, 2007**

(54) **LIGHT FIXTURE LENS END**

(75) Inventor: **Carl T. Gould**, Boulder, CO (US)

(73) Assignee: **Acuity Brands, Inc.**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/215,573**

(22) Filed: **Oct. 21, 2004**

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/120**

(58) **Field of Classification Search** D26/120,
D26/78, 87, 113, 131, 121, 122, 119, 118,
D26/77, 75, 76, 128; 362/217, 223, 263,
362/225, 364, 224, 218, 147, 257, 317; D13/184,
D13/110

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,643,328 A * 6/1953 Elmendorf 362/224
D180,611 S * 7/1957 McPhail D26/122
2,852,663 A 9/1958 Stuffer et al. 240/51.11

(Continued)

OTHER PUBLICATIONS

Lithonia Lighting, an Acuity Brands Company, Product Selection Guide, 8th ed. p. 14–93, 112–115.

Lithonia Lighting, an Acuity Brands Company, Direct/Indirect Lighting, pp. 1–15 (2002).

Lithonia Lighting, an Acuity Brands Company, Avante Recessed Direct/Indirect Lighting, pp. 1–3 (1997).

(Continued)

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K. Rudzinski

(74) *Attorney, Agent, or Firm*—Needle & Rosenberg, P.C.

(57) **CLAIM**

The ornamental design for a light fixture lens end, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a light fixture lens end of the present invention;

FIG. 2 is an end elevational view of the light fixture lens end of FIG. 1;

FIG. 3 is a bottom plan view of the light fixture lens end of FIG. 1;

FIG. 4 is a side elevational view of the light fixture lens end of FIG. 1;

FIG. 5 is a bottom perspective view of a second embodiment of a light fixture lens end of the present invention;

FIG. 6 is an end elevational view of the light fixture lens end of FIG. 5;

FIG. 7 is a bottom plan view of the light fixture lens end of FIG. 5;

FIG. 8 is a side elevational view of the light fixture lens end of FIG. 5;

FIG. 9 is a bottom perspective view of a third embodiment of a light fixture lens end of the present invention;

FIG. 10 is an end elevational view of the light fixture lens end of FIG. 9;

FIG. 11 is a bottom plan view of the light fixture lens end of FIG. 9;

FIG. 12 is a side elevational view of the light fixture lens end of FIG. 9;

FIG. 13 is a bottom perspective view of a fourth embodiment of a light fixture lens end of the present invention;



FIG. 14 is an end elevational view of the light fixture lens end of FIG. 13;

FIG. 15 is a bottom elevation view of the light fixture lens end of FIG. 13; and,

FIG. 16 is a side plan view of the light fixture lens end of FIG. 13.

The broken lines adjacent the shaded areas represent the bounds of the claim and all other broken lines are for illustrative purposes only. None of the broken lines form part of the claimed design. The top of each embodiment of the lighting fixture lens end is not visible during normal use and also forms no part of our claimed design.

1 Claim, 8 Drawing Sheets



U.S. PATENT DOCUMENTS

U.S. PATENT DOCUMENTS						6,540,382	B1	4/2003	Simon	362/339	
3,132,813	A	*	5/1964	Izzi et al.	362/224	6,558,020	B1	*	5/2003	Holzer	362/221
3,265,887	A		8/1966	Wince		D477,105	S	*	7/2003	Herst et al.	D26/76
3,368,071	A	*	2/1968	Bentzman	362/218	D477,891	S		7/2003	Fritze et al.	D26/74
3,838,268	A		9/1974	Fabbri	240/9	D480,168	S		9/2003	Herst et al.	D26/77
3,934,135	A	*	1/1976	Szer	362/330	D480,172	S		9/2003	Herst et al.	D26/121
4,698,734	A		10/1987	Ngai	362/225	6,612,718	B1		9/2003	Packer et al.	362/267
4,799,136	A		1/1989	Molnar	362/300	6,612,723	B2		9/2003	Futhey et al.	362/339
4,891,737	A	*	1/1990	Szymanek	362/223	D480,500	S		10/2003	Herst et al.	D26/121
4,939,627	A	*	7/1990	Herst et al.	362/299	D480,501	S		10/2003	Herst et al.	D26/121
D342,523	S	*	12/1993	Morgan et al.	D14/250	D480,502	S		10/2003	Herst et al.	D26/121
5,373,428	A	*	12/1994	Day	362/223	D480,503	S		10/2003	Herst et al.	D26/121
5,746,502	A		5/1998	Huang	362/223	D480,530	S		10/2003	Herst et al.	121/77
5,769,534	A	*	6/1998	Lewis	362/367	D480,830	S		10/2003	Sieczkowski	D26/118
D397,481	S	*	8/1998	Schafer	D26/85	D481,488	S		10/2003	Herst et al.	D26/121
D397,819	S		9/1998	Thorton, Jr.	D26/77	D481,489	S		10/2003	Cline et al.	D26/128
D399,588	S	*	10/1998	St. Ives	D26/76	6,637,912	B2		10/2003	Arumugasaamy et al.	362/327
D401,001	S	*	11/1998	Herst et al.	D26/77	D481,820	S		11/2003	Watt	D26/77
D413,402	S	*	8/1999	Ranieri et al.	D26/74	6,652,118	B2		11/2003	Shemitz et al.	362/225
5,971,571	A		10/1999	Rose	362/346	D483,510	S		12/2003	Fritz et al.	D26/75
5,988,829	A		11/1999	Holder	362/217	6,655,819	B2		12/2003	Loga et al.	362/263
5,988,836	A		11/1999	Swarens	362/364	D485,932	S		1/2004	Crane	D26/76
D418,626	S	*	1/2000	Herst et al.	D26/118	D487,527	S		3/2004	Sieczkowski	D26/76
D421,146	S	*	2/2000	Poulton	D26/76	6,709,131	B1		3/2004	Herst et al.	362/223
6,053,625	A	*	4/2000	Bowker	362/348	6,726,345	B2		4/2004	Arumugasaamy et al.	362/327
D430,339	S	*	8/2000	Reo	D26/118	2002/0080615	A1		6/2002	Marshall et al.	362/333
6,102,550	A		8/2000	Edwards, Jr.	362/221	2002/0181229	A1	*	12/2002	Wei	362/147
D440,341	S		4/2001	Arumugasaamy	D26/85	OTHER PUBLICATIONS					
6,238,065	B1		5/2001	Jones	362/339	Lithonia Lighting, an Acuity Brands Company, Architectural Fluorescent Recessed Direct/Indirect Lighting, pp. 1–13 (1999).					
6,257,735	B1	*	7/2001	Baar	362/217	Genlyte/Thomas, Lightolier, Alter Soft Lights, pp. 1–67 (2003).					
6,280,052	B1		8/2001	White	362/225	Cooper Lighting, Metalux, p. 1–8 (1999).					
6,419,375	B1		7/2002	Leadford et al.	362/297	Columbia Lighting, Stratus, pp. 1–9, (1998).					
D461,267	S		8/2002	Arumugasaamy	D26/85	Focal Point, Luna, pp. 1–5 (1997).					
6,435,697	B1	*	8/2002	Simmons et al.	362/219	Lithonia Lighting, an Acuity Brands Company, Product Selection Guide, 8 th Edition, pp. 1–620 (2003).					
6,454,442	B1		9/2002	Changaris	362/297	Peerless–Lighting, Parallels, pp. 1–2 (2005).					
6,485,166	B1		11/2002	Fouke	362/340	Lithonia Lighting, an Acuity Brands Company, Avante, Recessed Direct/Indirect Lighting, pp. 1–4 (1996).					
D467,676	S		12/2002	Packer et al.	D26/72	Lithonia Lighting, an Acuity Brands Company, Avante, Direct/Indirect General Lighting System, pp. 1–2 (1995).					
D467,677	S		12/2002	Ries et al.	D26/88	Lightolier, CFI Fluorescent, Alter Soft Lights, 1–8 (1996).					
6,505,953	B1		1/2003	Dahlen	362/217	Alter, pp. 1–6 (1994).					
6,505,959	B2		1/2003	Masaki et al.	362/339	* cited by examiner					
6,511,213	B1	*	1/2003	Maley, Sr.	362/374						
6,530,681	B2		3/2003	Sieczkowski	362/404						
6,537,649	B1		3/2003	Martin et al.	428/172						
D472,665	S		4/2003	Herst et al.	D26/113						
D472,666	S		4/2003	Herst et al.	D26/113						
D472,667	S		4/2003	Herst et al.	D26/113						
D472,668	S		4/2003	Herst et al.	D26/113						
D473,007	S		4/2003	Herst et al.	D26/113						
D473,335	S		4/2003	Bohard et al.	D26/113						




FIG 1



FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 541,467 S
APPLICATION NO. : 29/215573
DATED : April 24, 2007
INVENTOR(S) : Gould

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 1, Column 2, Description:

That portion of the Description reading

“FIG. 11 is a bottom plan view of the light fixture lens end of FIG. 9;

FIG. 12 is a side elevational view of the light fixture lens end of FIG. 9;”

should read

--FIG. 11 is a bottom plan view of the light fixture lens end of FIG. 9; and

FIG. 12 is a side elevational view of the light fixture lens end of FIG. 9.--

Page 1, Column 2, Description:

That portion of the Description reading

“FIG. 13 is a bottom perspective view of a fourth embodiment of a light fixture lens end of the present invention;

FIG. 14 is an end elevational view of the light fixture lens end of FIG. 13;

FIG. 15 is a bottom elevational view of the light fixture lens end of FIG. 13; and,

FIG. 16 is a side plan view of the light fixture lens end of FIG. 13.”

should be deleted.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 541,467 S
APPLICATION NO. : 29/215573
DATED : April 24, 2007
INVENTOR(S) : Gould

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Figures:

Figures 13-16 should be deleted.

Signed and Sealed this

Twenty-eighth Day of August, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive, stylized script. The "J" is large and loops around the "on". The "W" is written with two distinct peaks. The "D" is large and loops around the "udas".

JON W. DUDAS

Director of the United States Patent and Trademark Office