

US00D541523S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,523 S**
Zoullas et al. (45) **Date of Patent:** **** May 1, 2007**

(54) **LANYARD ASSEMBLY**

(75) Inventors: **Deborah A. Zoullas**, New York, NY (US); **Elizabeth Faraut**, New York, NY (US)

(73) Assignee: **La Loop, LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/217,883**

(22) Filed: **Nov. 23, 2004**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/215**

(58) **Field of Classification Search** D11/200–234, D11/7; D3/215, 318; D24/194; 24/3.1, 3.2, 24/3.11, 3.12, 3.13, 3.6, 165, 3.3, 3.4
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,840,604 A	1/1932	Randall	24/67.11
2,572,889 A	10/1951	Strykower	224/5
3,866,873 A	2/1975	Bohli	248/205
5,027,477 A	7/1991	Seron	24/3
5,398,855 A	3/1995	Schaiewitz	224/257
5,481,784 A	1/1996	Sinaiko	24/67.9
D418,774 S	1/2000	Kalbach	D11/7
6,357,646 B1	3/2002	Gur et al.	224/683
6,427,293 B1	8/2002	Bowes, Jr.	24/304
6,502,727 B1	1/2003	Decoteau	224/162
6,550,108 B2	4/2003	Pratl	24/3.13
6,567,651 B2	5/2003	Whitley	455/90
6,691,904 B2	2/2004	Pineda	223/81
2003/0000976 A1	1/2003	Malhotra	224/197

FOREIGN PATENT DOCUMENTS

JP	09117316 A	5/1997
JP	2000270917 A	10/2000
JP	2000316626 A	11/2000
JP	2001197919 A	7/2001
JP	2002009919 A	1/2002
JP	2002199074 A	7/2002
JP	2003009932 A	1/2003
JP	2003/033215 A	2/2003

OTHER PUBLICATIONS

U.S. Appl. No. 10/995,781, filed Nov. 23, 2004, Zoullas, Lanyard Assembly.

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Heslin, Rothenberg, Farley & Mesiti, P.C.; Victor A. Cardona

(57) **CLAIM**

The ornamental design for the lanyard assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lanyard assembly comprising the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front view of the new design around the neck of a person shown in phantom;

FIG. 8 is a front view of a second embodiment comprising the new design;

FIG. 9 is a front view of a third embodiment comprising the new design;

FIG. 10 is a front view of a fourth embodiment comprising the new design;

FIG. 11 is a front view of a fifth embodiment comprising the new design;

FIG. 12 is a front view of a sixth embodiment comprising the new design;

FIG. 13 is a front view of a seventh embodiment comprising the new design;

FIG. 14 is a front enlarged view of the embodiment of FIG. 13;

FIG. 15 is a front view of an eighth embodiment comprising the new design;

FIG. 16 is a front enlarged view of the embodiment of FIG. 15;

FIG. 17 is a front view of a ninth embodiment comprising the new design;

FIG. 18 is a rear view of the embodiment of FIG. 17; and, FIG. 19 is a top view of the embodiment of FIG. 17.

The broken lines in the drawing figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 16 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19