

US00D541667S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,667 S**
Pokusa et al. (45) **Date of Patent:** **** May 1, 2007**

(54) **FLEXIBLE PACKAGE**

(75) Inventors: **Kenneth C. Pokusa**, Indian Head Park, IL (US); **Panagiotis Kinigakis**, Roscoe, IL (US)

(73) Assignee: **Kraft Foods Holdings, Inc.**, Northfield, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/242,117**

(22) Filed: **Nov. 7, 2005**

(51) **LOC (8) Cl.** **11-02**

(52) **U.S. Cl.** **D9/709**

(58) **Field of Classification Search** D9/709,
D9/702, 705; D3/232, 245, 303; 206/260;
383/203

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,991,001 A 7/1961 Hughes
3,154,239 A 10/1964 Madsen
4,186,786 A * 2/1980 Kirkpatrick 383/63

(Continued)

FOREIGN PATENT DOCUMENTS

JP 5-221454 A 8/1993
JP 2003-95285 A 4/2003

OTHER PUBLICATIONS

Patent Abstracts of Japan, Publication No. 05-221454, Aug. 31, 1993.

Patent Abstracts of Japan, Publication No. 2003-095285, Apr. 3, 2003.

Primary Examiner—Stella Reid

Assistant Examiner—Rashida C. McCoy

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery

(57) **CLAIM**

The ornamental design for a flexible package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a flexible package showing my new design;

FIG. 2 is a front elevational view thereof, the rear elevational view being a mirror image;


FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 4 is a top plan view thereof, the bottom plan view being identical; and,

FIG. 5 is a perspective view of the flexible package of FIG. 1 showing of edible crackers contained therein for illustrative purpose only and forming no part of the claimed design.

In FIGS. 1, 2, 4 and 5, stippling is used to represent sealed portions of the package and not surface texture characteristics. In FIGS. 1, 2 and 5, the broken lines indicate a tearable line of weakness in the package. In all the Figures, conventional transparency shading is used to represent transparent portions.

1 Claim, 5 Drawing Sheets



U.S. PATENT DOCUMENTS						
4,399,249	A	8/1983	Bildusas	6,196,716	B1	3/2001 Geyer
4,572,377	A	2/1986	Beckett	6,244,748	B1	6/2001 Kasai et al.
4,728,572	A	3/1988	Davis	6,371,644	B1	4/2002 Forman
4,785,940	A	11/1988	Wilson	6,461,044	B1	10/2002 Anderson
4,786,190	A	11/1988	Van Erden et al.	6,461,708	B1	10/2002 Dronzek
4,898,280	A	2/1990	Runge	D467,170	S *	12/2002 Kinigakis et al. D9/709
4,902,142	A	2/1990	Lammert et al.	D468,196	S *	1/2003 Graham D9/707
D319,780	S *	9/1991	Laaki D9/707	D470,757	S	2/2003 Espinel et al.
5,174,659	A	12/1992	Laske	D471,088	S *	3/2003 Kinigakis et al. D9/709
D344,407	S *	2/1994	Derrickson D3/303	D484,040	S *	12/2003 Kinigakis et al. D9/709
5,519,982	A	5/1996	Herber et al.	6,863,646	B2	3/2005 Kinigakis et al.
5,725,312	A	3/1998	May	6,884,207	B2	4/2005 Pokusa
6,012,844	A	1/2000	Huseman et al.	2005/0031233	A1	2/2005 Varanese et al.
D423,346	S	4/2000	Froehlich et al.	2005/0063619	A1	3/2005 Kinigakis et al

* cited by examiner .




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5