

US00D541681S

(12) **United States Design Patent**
Sekino et al.

(10) **Patent No.:** **US D541,681 S**

(45) **Date of Patent:** **** May 1, 2007**

(54) **NAVIGATION SYSTEM MONITOR**

D507,193 S * 7/2005 Owaki et al. D10/65

(75) Inventors: **Hajime Sekino**, Tottori (JP); **Yukio Uno**, Tottori (JP); **Takuya Yamano**, Tottori (JP); **Naoko Iguchi**, Tottori (JP); **Akemi Kinoshita**, Tottori (JP); **Satomi Yamada**, Tottori (JP)

FOREIGN PATENT DOCUMENTS

JP	1067244-D	4/2000
JP	1074832-D	6/2000
JP	1087295-D	10/2000
JP	1172202-D	4/2003

(73) Assignees: **Sanyo Electric Co., Ltd.**, Osaka (JP); **Tottori Sanyo Electric Co., Ltd.**, Tottori (JP)

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Darby & Darby

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/232,117**

The ornamental design for navigation system monitor, as shown and described.

(22) Filed: **Jun. 14, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65**

(58) **Field of Classification Search** D10/65, D10/80; D14/347; 342/351, 419, 457, 357.06–357.13; 343/702; 345/87, 104, 133, 156, 168, 173, 345/901–905; 348/180, 184, 315, 739; 364/444, 364/499; 701/206–209, 213, 214
See application file for complete search history.

FIG. 1 is a front, top, right side perspective view of our new design for a navigation system monitor in a closed position; FIG. 2 is a front, top, right side perspective view of our new design for a navigation system monitor in an open position; FIG. 3 is a front elevation view of our new design for a navigation system monitor in a closed position; FIG. 4 is a rear elevation view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side elevation view thereof; and, FIG. 8 is a right side elevation view of our new design for a navigation system monitor.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,988 S	*	10/1992	Burrell et al.	D10/65
D335,822 S	*	5/1993	Yamamuro et al.	D10/65
D487,024 S	*	2/2004	Hsu Li	D10/65

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 541,681 S
APPLICATION NO. : 29/232117
DATED : May 1, 2007
INVENTOR(S) : Hajime Sekino et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, item [30]

For Foreign Application Priority Data:

Please insert --JP 2005-000598 01/12/2005--

Signed and Sealed this

Twenty-sixth Day of June, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office