

US00D541951S

(12) **United States Design Patent** (10) **Patent No.:** **US D541,951 S**  
**Mugge et al.** (45) **Date of Patent:** **\*\* May 1, 2007**

(54) **RETAINING WALL BLOCK**

(75) Inventors: **Jimmie L. Mugge**, Eagan, MN (US);  
**Jay J. Johnson**, Star Prairie, WI (US)

(73) Assignee: **Anchor Wall Systems, Inc.**,  
Minnetonka, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/248,240**

(22) Filed: **Aug. 4, 2006**

**Related U.S. Application Data**

(62) Division of application No. 29/234,175, filed on Jul. 13, 2005, now Pat. No. Des. 530,831.

(51) **LOC (8) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/113**

(58) **Field of Classification Search** ..... D25/112-118;  
D21/484-490, 499-502; 405/15-16, 33,  
405/35, 284-286; 404/29-42; 52/503, 504,  
52/575, 596-599, 603-605, 608, 612

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,751,272 A	3/1930	Forman	
2,313,363 A	3/1943	Schmitt	
2,570,384 A	10/1951	Russell	
2,819,495 A	1/1958	Krausz	
D190,779 S	6/1961	Stekl	
3,795,721 A	3/1974	Gilbert et al.	
4,869,660 A	9/1989	Ruckstuhl	
D319,885 S	9/1991	Blomquist et al.	
D321,060 S	10/1991	Blomquist et al.	
5,183,616 A	2/1993	Hedrick	
D341,215 S	11/1993	Blomquist et al.	
5,372,676 A	12/1994	Lowe	
5,735,094 A	4/1998	Zember	
D429,004 S	8/2000	Strand et al.	
D437,422 S	2/2001	Bolles et al.	
D466,619 S	* 12/2002	Britton	D25/113
D468,449 S	* 1/2003	Britton	D25/113
D482,133 S	11/2003	Scherer et al.	
D500,864 S	1/2005	Klettenberg et al.	
D511,578 S	11/2005	Mugge et al.	

2003/0126821 A1 7/2003 Scherer  
2004/0218985 A1 11/2004 Klettenberg et al.

**FOREIGN PATENT DOCUMENTS**

WO WO 03/060251 7/2003

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Merchant & Gould PC

(57) **CLAIM**

The ornamental design for a retaining wall block, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a front portion of a retaining wall block according to my new design;

FIG. 2 is a front elevational view of the front portion depicted in FIG. 1;

FIG. 3 is a right side elevational view of the front portion depicted in FIG. 1;

FIG. 4 is a left side elevational view of the front portion depicted in FIG. 1;

FIG. 5 is a top plan view of the front portion depicted in FIG. 1;

FIG. 6 is a bottom plan view of the front portion depicted in FIG. 1;

FIG. 7 is a perspective view of a second embodiment of a front portion of a retaining wall block according to my new design;

FIG. 8 is a front elevational view of the front portion depicted in FIG. 7;

FIG. 9 is a right side elevational view of the front portion depicted in FIG. 7;

FIG. 10 is a left side elevational view of the front portion depicted in FIG. 7;

FIG. 11 is a top plan view of the front portion depicted in FIG. 7; and,

FIG. 12 is a bottom plan view of the front portion depicted in FIG. 7.

The broken line showing of the back portion of the block is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12

