



US00D542227S

(12) **United States Design Patent** (10) **Patent No.:** **US D542,227 S**
Larson et al. (45) **Date of Patent:** **** *May 8, 2007**

(54) **LIGHTING CONTROL**

(75) Inventors: **Paul A. Larson**, Macungie, PA (US);
Joel S. Spira, Coopersburg, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/214,817**

(22) Filed: **Oct. 8, 2004**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/207,370, filed on Jun. 10, 2004.

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/162; D13/171**

(58) **Field of Classification Search** D13/162,
D13/164, 169, 170, 171; D10/108, 116, 118;
D8/353; 200/5 A, 293, 296, 297, 329, 333,
200/335, 339, 341, 520, 530, 537, 552; 220/241;
307/125, 139; 315/291-296

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D311,485 S * 10/1990 Jacoby et al. D8/353
D325,567 S * 4/1992 Jacoby et al. D13/170
D412,491 S * 8/1999 Mayo et al. D13/164
D421,246 S * 2/2000 Mayo et al. D13/162

(Continued)

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath
LLP

(57) **CLAIM**

The ornamental design for a lighting control, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting control showing a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof

FIG. 5 is a bottom view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a perspective view of a lighting control according to a second embodiment of our design.

FIG. 8 is a front view thereof, the left side, right side, bottom and top views being identical to those of the first embodiment.

FIG. 9 is a perspective view of a lighting control according to a third embodiment of our design.

FIG. 10 is a front view thereof, the left side, right side, bottom and top views being identical to those of the first embodiment.

FIG. 11 is a perspective view of a lighting control according to a fourth embodiment of our design.

FIG. 12 is a front view thereof.

FIG. 13 is a left side view thereof.

FIG. 14 is a right side view thereof

FIG. 15 is a bottom view thereof.

FIG. 16 is a top view thereof.

FIG. 17 is a perspective view of a lighting control according to a fifth embodiment of our design.


FIG. 18 is a front view thereof, the left side, right side, bottom and top views being identical to those of the fourth embodiment.

FIG. 19 is a perspective view of a lighting control according to a sixth embodiment of our design; and,

FIG. 20 is a front view thereof, the left side, right side, bottom and top views being identical to those of the fourth embodiment.

The portions of the drawings appearing in broken line are for environment only and do not form part of the claimed design.

1 Claim, 16 Drawing Sheets



US D542,227 S

Page 2

U.S. PATENT DOCUMENTS			
D437,834 S	*	2/2001 Mayo et al.	D13/162
D456,783 S	*	5/2002 Mayo et al.	D13/164
D475,024 S	*	5/2003 Bennett et al.	D13/164
D481,365 S	*	10/2003 Mayo et al.	D13/171
D509,805 S	*	9/2005 Spira	D13/164
D510,074 S	*	9/2005 Larson et al.	D13/164
			* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20