



US00D542460S

(12) **United States Design Patent**
Hargreaves

(10) **Patent No.:** **US D542,460 S**

(45) **Date of Patent:** **** May 8, 2007**

(54) **HIGH WATTAGE FLUORESCENT FIXTURE**

(75) Inventor: **Craig Hargreaves**, Vancouver, WA
(US)

(73) Assignee: **IP Holdings, LLC**, Vancouver, WA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/213,031**

(22) Filed: **Sep. 13, 2004**

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/24,
D26/67, 63, 85, 118, 3, 42, 72, 75, 113, 119,
D26/128, 142, 152; 362/219, 257, 294, 260,
362/317, 362, 368, 373

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,416 S	*	1/1985	Brown	D26/63
D323,897 S	*	2/1992	Compton	D26/24
D349,358 S	*	8/1994	Herst et al.	D26/85
D352,126 S	*	11/1994	Ruud et al.	D26/67
D361,393 S	*	8/1995	Vakil	D26/3
D375,180 S	*	10/1996	Lyons	D26/28
D376,437 S	*	12/1996	Karlo et al.	D26/28
D383,560 S	*	9/1997	Palmer	D26/72
D391,382 S	*	2/1998	Rahn	D26/63
D399,328 S	*	10/1998	Compton	D26/72
D415,304 S	*	10/1999	Brown	D26/87
D417,303 S	*	11/1999	Rahn	D26/67
D418,626 S	*	1/2000	Herst et al.	D26/118

D445,943 S	*	7/2001	Littman	D26/87
6,299,327 B1	*	10/2001	Camarota	362/219
D456,551 S	*	4/2002	Russello et al.	D26/85
D456,552 S	*	4/2002	Russello et al.	D26/85
D456,553 S	*	4/2002	Russello et al.	D26/85
D456,927 S	*	5/2002	Russello et al.	D26/85
D456,928 S	*	5/2002	Russello et al.	D26/85
D456,938 S	*	5/2002	Wardenburg	D26/118
6,527,422 B1	*	3/2003	Hutchison	362/373
6,595,662 B2	*	7/2003	Wardenburg	362/362
2002/0141195 A1	*	10/2002	Peter	362/362

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K. Rudzinski

(74) *Attorney, Agent, or Firm*—Robert Ireland

(57) **CLAIM**

The ornamental design for a high wattage fluorescent fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the high wattage fluorescent fixture of FIG. 1;

FIG. 2 is a bottom view in elevation the high wattage fluorescent fixture of FIG. 1;


FIG. 3 is a front view in elevation the high wattage fluorescent fixture of FIG. 1;

FIG. 4 is a right side view in elevation, the left side being a mirror image thereof;

FIG. 5 is a rear view in elevation the high wattage fluorescent fixture of FIG. 1; and,

FIG. 6 is a top plan view the high wattage fluorescent fixture of FIG. 1.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6