

US00D542733S

(12) **United States Design Patent** (10) **Patent No.:** **US D542,733 S**
Miller et al. (45) **Date of Patent:** **** May 15, 2007**

(54) **CHARGE MEASUREMENT DEVICE**

(75) Inventors: **David Miller**, Vancouver (CA); **Rob Baumgartner**, Mission (CA); **Brian Ulrich**, Lions Bay (CA)

(73) Assignee: **Xantrex International**, The Garrison, St. Michael (BB)

(**) Term: **14 Years**

(21) Appl. No.: **29/232,932**

(22) Filed: **Jun. 27, 2005**

(30) **Foreign Application Priority Data**

May 2, 2005 (CA) 110990

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/7**

(58) **Field of Classification Search** D13/107-115,
D13/118-120; 320/106, 107, 110, 128; 324/426,
324/427, 428

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,341 S * 3/1983 Mallon D13/119

D489,321 S * 5/2004 Krieger et al. D13/108

* cited by examiner

Primary Examiner—Antoine D. Davis

(57) **CLAIM**

The ornamental design for charge measurement device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a charge measurement device according to our new design;

FIG. 2 is a front elevational view of the charge measurement device of FIG. 1;

FIG. 3 is a rear elevational view of the charge measurement device of FIG. 1;

FIG. 4 is a bottom view of the charge measurement device of FIG. 1;


FIG. 5 is a top plan view of the charge measurement device of FIG. 1;

FIG. 6 is a right hand side elevational view of the charge measurement device of FIG. 1; and,

FIG. 7 is a left hand side elevational view of the charge measurement device of FIG. 1.

The broken line showing of the environment is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7