



US00D542792S

(12) **United States Design Patent**
Beamish et al.

(10) **Patent No.:** **US D542,792 S**

(45) **Date of Patent:** **** May 15, 2007**

(54) **AUDIENCE PARTICIPATION DEVICE**

(75) Inventors: **Darin Beamish**, Puyallup, WA (US);
Ben Cameron Smith, Seattle, WA
(US); **Bryan Cabatic**, Shoreline, WA
(US); **Adam Smith**, Olalla, WA (US)

(73) Assignee: **Qwizdom, Inc.**, Puyallup, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/216,131**

(22) Filed: **Oct. 29, 2004**

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/388; D14/398**

(58) **Field of Classification Search** D14/341-347,
D14/388, 391-399; D18/1, 2, 7, 11; 235/145 A,
235/145 R; 341/22, 23; 345/168, 169, 156;
463/17; 715/716; 725/14, 23, 24; 434/351;
455/575.1; 361/680-686

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|-----------------|-------|---------|
| 5,226,177 | A | * | 7/1993 | Nickerson | | 725/24 |
| 5,273,437 | A | * | 12/1993 | Caldwell et al. | | 434/351 |
| 5,825,612 | A | * | 10/1998 | Aubuchon et al. | | 361/680 |
| 6,011,578 | A | * | 1/2000 | Shatto et al. | | 725/14 |
| 6,225,976 | B1 | * | 5/2001 | Yates et al. | | 345/156 |
| 6,443,840 | B2 | * | 9/2002 | Von Kohorn | | 463/17 |

| | | | | | | |
|--------------|----|---|--------|------------------|-------|---------|
| D475,051 | S | * | 5/2003 | Sexton | | D14/398 |
| 6,681,393 | B1 | * | 1/2004 | Bauminger et al. | | 725/23 |
| 2003/0011496 | A1 | * | 1/2003 | Yu | | 341/23 |

* cited by examiner

Primary Examiner—Freda S. Nunn

(74) *Attorney, Agent, or Firm*—DWC Law Firm, P.S.

(57) **CLAIM**

The ornamental design for an audience participation device, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of an audience participation device.

FIG. 2 is a back plan view of the audience participation device in FIG. 1.

FIG. 3 is a left-side elevational view of the audience participation device in FIG. 1.

FIG. 4 is a right-side elevational view of the audience participation device in FIG. 1.


FIG. 5 is a top-end elevational view of the audience participation device in FIG. 1.

FIG. 6 is a bottom-end elevational view of the audience participation device in FIG. 1; and,

FIG. 7 is a perspective view of the audience participation device in FIG. 1.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7