



US00D542845S

(12) **United States Design Patent**  
**Suzuki**

(10) **Patent No.:** **US D542,845 S**

(45) **Date of Patent:** **\*\* May 15, 2007**

(54) **COATING TAPE DISPENSER**

D466,939 S \* 12/2002 Lee ..... D19/69  
D492,355 S \* 6/2004 Suzuki ..... D19/69  
6,761,200 B2 \* 7/2004 Shinya ..... 156/577

(75) Inventor: **Kazuhiko Suzuki**, Kawasaki (JP)

(73) Assignee: **Tombow Pencil Co. Ltd.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/242,238**

(22) Filed: **Nov. 8, 2005**

(30) **Foreign Application Priority Data**

Jun. 3, 2005 (JP) ..... 2005-016222

(51) **LOC (8) Cl.** ..... **19-02**

(52) **U.S. Cl.** ..... **D19/69**

(58) **Field of Classification Search** ..... D19/66,  
D19/67, 68, 69, 70; 156/523, 257, 540, 577;  
206/411; 225/6, 25, 39, 77; 242/588, 588.1,  
242/588.2, 588.3, 588.6, 598.5  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D421,060 S \* 2/2000 Kelders et al. .... D19/69  
D424,619 S \* 5/2000 Katami ..... D19/69  
D433,449 S \* 11/2000 Fujiwara ..... D19/53  
D436,625 S \* 1/2001 Katami ..... D19/69  
D438,250 S \* 2/2001 Katami ..... D19/69  
D457,564 S \* 5/2002 Kimura ..... D19/53  
D465,241 S \* 11/2002 Suzuki ..... D19/69  
D466,938 S \* 12/2002 Lee ..... D19/69

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Edwards Angell Palmer & Dodge LLP; Scott D. Wofsy

(57) **CLAIM**

The ornamental design for a coating tape dispenser, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the coating tape dispenser showing my new design in an off use status with a tip part protected by a transparent cap indicated by dashed oblique lines; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a perspective view thereof; FIG. 8 is a front view thereof similar to FIG. 1 in a use status with the tip part exposed and the cap held in a non-protective position; and, FIG. 9 is a perspective view thereof similar to FIG. 1 in the use status with the tip part exposed and the cap held in the non-protective position.

**1 Claim, 4 Drawing Sheets**



FIG. 1




FIG. 2





FIG. 5




FIG. 6

FIG. 3




FIG. 4




FIG. 7




FIG. 8




FIG. 9

