

US00D542851S

(12) **United States Design Patent**  
**Feibelman**

(10) **Patent No.:** **US D542,851 S**

(45) **Date of Patent:** **\*\* May 15, 2007**

(54) **TAG FOR AN ELECTRONIC ARTICLE SURVEILLANCE MARKER**

(75) Inventor: **Jeffrey A Feibelman**, Providence, RI (US)

(73) Assignee: **Display Technologies, Inc.**, Johnston, RI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/231,391**

(22) Filed: **Jun. 3, 2005**

(51) **LOC (8) Cl.** ..... **19-08**

(52) **U.S. Cl.** ..... **D20/22**

(58) **Field of Classification Search** ..... D20/10, D20/11, 12, 17, 22, 27, 39, 40, 42, 43, 99; 40/6, 27, 124.05, 124.12, 299.01, 300, 302, 40/310, 572.3, 638, 661.04, 661.06, 661.08, 40/662, 672; 340/568.1, 572.1, 572.6, 572.9, 340/573, 573.3; 283/56, 81; 281/5; 428/40.1; D30/155; D10/106

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |             |        |
|---------------|---------|-------------|--------|
| 713,813 A *   | 11/1902 | Steutermann | 40/27  |
| 840,487 A *   | 1/1907  | Goldsmith   |        |
| 857,778 A *   | 6/1907  | Wittstein   |        |
| 899,778 A *   | 9/1908  | Wittstein   |        |
| 1,742,982 A * | 1/1930  | Wittstein   |        |
| 3,130,509 A * | 4/1964  | Brooks      | 40/662 |
| 3,173,540 A * | 3/1965  | Lapides     | 206/78 |
| D220,790 S *  | 5/1971  | Rives       | D20/28 |
| 3,994,089 A * | 11/1976 | Schwartz    | 40/310 |
| 5,096,226 A * | 3/1992  | Steffen     | 281/5  |

|                   |         |                 |           |
|-------------------|---------|-----------------|-----------|
| 5,379,538 A *     | 1/1995  | Osborne         | 40/638    |
| 5,390,794 A *     | 2/1995  | Vulpitta        | 206/459.1 |
| 5,570,081 A *     | 10/1996 | Holstrom        | 340/573.3 |
| 5,697,502 A *     | 12/1997 | Linz            | 206/779   |
| 5,944,355 A *     | 8/1999  | Rich et al.     | 283/81    |
| 6,073,758 A *     | 6/2000  | Webster et al.  | 206/6.1   |
| 6,197,396 B1 *    | 3/2001  | Haas et al.     | 428/40.1  |
| 6,254,953 B1 *    | 7/2001  | Elston          | 428/40.1  |
| 6,304,184 B1 *    | 10/2001 | Kolton et al.   | 340/572.8 |
| 6,433,686 B1 *    | 8/2002  | Feibelman       | 340/572.8 |
| 6,724,311 B1 *    | 4/2004  | Kolton et al.   | 340/572.8 |
| 6,799,389 B2 *    | 10/2004 | Wolfgang        | 40/300    |
| 6,882,277 B2 *    | 4/2005  | Kolton et al.   | 340/572.8 |
| 2004/0010953 A1 * | 1/2004  | Chimenti et al. | 40/661.08 |

\* cited by examiner

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—Mary Ann Calabrese

(74) *Attorney, Agent, or Firm*—BainwoodHuang

(57) **CLAIM**

The ornamental design for a tag for an electronic article surveillance marker, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a tag for supporting an electronic article surveillance device showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The portions shown in broken lines are included for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1





FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7