



US00D543212S

(12) **United States Design Patent** (10) **Patent No.:** **US D543,212 S**  
**Marks** (45) **Date of Patent:** **\*\* May 22, 2007**

(54) **OBJECT FOR INTERFACING WITH A COMPUTER PROGRAM**

(75) Inventor: **Richard Marks**, Foster City, CA (US)

(73) Assignee: **Sony Computer Entertainment Inc.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/251,260**

(22) Filed: **Jan. 4, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/454; D14/388; D21/333**

(58) **Field of Classification Search** ..... D14/125, D14/188, 178, 225, 228, 230-1, 299, 317, D14/325, 329-30, 356-358, 388-389, 397-398, D14/402-409, 411-7, 432-3, 439, 443, 453-454, D14/483-484, 496; D16/202, 219; D21/333; 345/156, 161, 163-7, 158; 348/373, 375-6; 358/909.1; 396/419, 420, 425, 535, 153; D1/127; 273/148 B; 463/34, 37; 715/863; 178/18.09; 382/103

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,268,897	A	*	8/1966	Link	.....	343/713
3,465,345	A	*	9/1969	Purington et al.	.....	343/885
D292,299	S	*	10/1987	Thomas	.....	D14/412
5,666,473	A	*	9/1997	Wallace	.....	345/420
5,751,273	A	*	5/1998	Cohen	.....	345/156
5,923,318	A	*	7/1999	Zhai et al.	.....	345/157
6,030,291	A	*	2/2000	Maki et al.	.....	463/38
D425,514	S	*	5/2000	Bai et al.	.....	D14/230

6,160,899	A	*	12/2000	Lee et al.	.....	382/103
D443,544	S	*	6/2001	Place	.....	D10/109
6,891,527	B1	*	5/2005	Chapman et al.	.....	345/158
2004/0012564	A1	*	1/2004	Zngf et al.	.....	345/158
2005/0052412	A1	*	3/2005	McRae et al.	.....	345/158
2005/0140645	A1	*	6/2005	Ueshima	.....	345/156
2006/0033713	A1	*	2/2006	Pryor	.....	345/158
2006/0148563	A1	*	7/2006	Yang	.....	463/36
2006/0228101	A1	*	10/2006	Sullivan et al.	.....	396/153

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Angela J. Lee

(74) *Attorney, Agent, or Firm*—Martine Penilla & Gencarella, LLP

(57) **CLAIM**

The ornamental design for an object for interfacing with a computer program, as shown and described.

**DESCRIPTION**

The present design is an ornamental object that can be used as an input device for computer programs, and more particularly for a camera.

FIG. 1 is a front view of the object device in accordance with the design.

FIG. 2 is a bottom view of the object device of FIG. 1.


FIG. 3 is the side view of the object device of FIG. 1.


FIG. 4 is a top view of the object device of FIG. 1; and,

FIG. 5 illustrates a perspective view of the object device of FIG. 1 being attached to the stick and handle that can be held by a hand.


The broken line showing of the hand is included for the purpose of illustrating usage and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*Fig. 1*




*Fig. 3*



*Fig. 2*



*Fig. 4*



*Fig. 5*