

US00D543238S

(12) **United States Design Patent** (10) **Patent No.:** **US D543,238 S**
Suzuki (45) **Date of Patent:** **** May 22, 2007**

(54) **CARTRIDGE-TYPE COATING TAPE DISPENSER**

(75) Inventor: **Kazuhiko Suzuki**, Kawasaki (JP)

(73) Assignee: **Tombow Pencil Co. Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/242,531**

(22) Filed: **Nov. 10, 2005**

(30) **Foreign Application Priority Data**

Jun. 16, 2005 (JP) 2005-017563

(51) **LOC (8) Cl.** **19-02**

(52) **U.S. Cl.** **D19/69**

(58) **Field of Classification Search** D19/66,
D19/67, 68, 69, 70; 156/523, 257, 540, 577;
206/411; 225/6, 25, 39, 77; 242/588, 588.1,
242/588.2, 588.3, 588.6, 598.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D420,389 S * 2/2000 Shimizu D19/69
D421,059 S * 2/2000 Shimizu D19/69
D424,619 S * 5/2000 Katami D19/69
D433,449 S * 11/2000 Fujiwara D19/53
D436,625 S * 1/2001 Katami D19/69
D438,250 S * 2/2001 Katami D19/69
6,206,072 B1 * 3/2001 Orihara et al. 156/540
6,270,578 B1 * 8/2001 Murakoshi 118/257
D451,960 S * 12/2001 Shimizu D19/69
D456,450 S * 4/2002 Kimura D19/69
D457,564 S * 5/2002 Kimura D19/53
D465,241 S * 11/2002 Suzuki D19/69

D466,938 S * 12/2002 Lee D19/69
D466,939 S * 12/2002 Lee D19/69
D492,355 S * 6/2004 Suzuki D19/69
D492,730 S * 7/2004 Suzuki D19/69
D494,221 S * 8/2004 Suzuki D19/69
D498,498 S * 11/2004 Ono D19/69
D524,373 S * 7/2006 Kimura D19/69
2002/0033237 A1 * 3/2002 Narita et al. 156/577
2002/0062928 A1 * 5/2002 Ishikawa 156/523
2005/0155717 A1 * 7/2005 Mitsui et al. 156/577

* cited by examiner

Primary Examiner—Cathron C. Brooks

Assistant Examiner—Austin Murphy

(74) *Attorney, Agent, or Firm*—Edwards Angell Palmer & Dodge LLP; Scott D. Wofsy

(57) **CLAIM**

The ornamental design for a cartridge-type coating tape dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the cartridge-type coating tape dispenser showing my new design in an off use status with a tip part protected by a transparent cap indicated by dashed oblique lines;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a perspective view thereof; and,

FIG. 8 is a front view thereof similar to FIG. 1 in a use status with the tip part exposed and the cap held in a non-protective position.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 5




FIG. 6

FIG. 3





FIG. 4






FIG. 7




FIG. 8