

US00D543812S

(12) **United States Design Patent**
Burry et al.

(10) **Patent No.:** **US D543,812 S**
(45) **Date of Patent:** **** Jun. 5, 2007**

(54) **GROOVELOCK TOOL**
(75) Inventors: **James Michael Burry**, Troutman, NC
(US); **David Philip Engvall**,
Huntersville, NC (US)
(73) Assignee: **Irwin Industrial Tool Company**,
Huntersville, NC (US)
(**) Term: **14 Years**

5,850,768 A 12/1998 Chow
D405,333 S * 2/1999 Wrigley D8/52
D418,030 S * 12/1999 Khachatoorian D8/52
6,000,303 A 12/1999 Chang
D421,207 S * 2/2000 Panier D8/52
6,019,020 A 2/2000 Liou
6,101,908 A 8/2000 Azkona
6,161,455 A 12/2000 Ping
6,199,458 B1 3/2001 Wrigley et al.

(Continued)

(21) Appl. No.: **29/216,690**
(22) Filed: **Nov. 5, 2004**
(51) **LOC (8) Cl.** **08-05**
(52) **U.S. Cl.** **D8/52**
(58) **Field of Classification Search** D8/4,
D8/22, 51, 52, 54, 57, 107; 30/175, 193;
81/129, 179, 186, 300, 302, 313, 314, 326,
81/337, 342, 346, 351, 355, 358, 385, 386,
81/393, 395, 397, 405, 407, 409, 411, 412,
81/413, 416, 417, 418, 426, 427.5, 440; 140/117,
140/118, 121, 124, 139
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

DE 90 03 713 U1 5/1990
DE 91 13 870 U 12/1992
DE 199 63 818 A1 7/2001
GB 27941 7/1914
GB 2 166 382 A 5/1986
GB 2 334 913 A 9/1999
WO WO 99/44790 A1 9/1999

Primary Examiner—Alan P. Douglas
Assistant Examiner—Deanna Fluegeman
(74) *Attorney, Agent, or Firm*—Dennis J. Williamson;
Moore & Van Allen PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,227,372 A * 5/1917 Bledsoe 81/405
2,727,417 A 12/1955 Eifel
3,176,551 A 4/1965 Hansen
3,192,805 A 7/1965 Manning
4,232,573 A 11/1980 Dace, Jr.
4,296,655 A 10/1981 Tesoro
4,438,669 A 3/1984 Hastings
4,603,607 A 8/1986 Schaffner, Jr.
4,662,252 A 5/1987 Warheit
4,719,827 A 1/1988 Igarashi
4,753,140 A 6/1988 Majima
4,893,530 A 1/1990 Warheit
4,901,609 A 2/1990 Crum
4,922,770 A 5/1990 Dlugolecki et al.
5,060,543 A 10/1991 Warheit
5,134,908 A 8/1992 Fisher
5,351,584 A 10/1994 Warheit
5,660,089 A 8/1997 Chow


(57) **CLAIM**

We claim the ornamental design for a groovelock tool, as shown and described.

DESCRIPTION

FIG. 1 is a left side perspective view showing an embodiment of our new design for a groovelock tool;
FIG. 2 is a top view of our design shown in FIG. 1;
FIG. 3 is a bottom view of our design shown in FIG. 1;
FIG. 4 is a first side elevation of our design shown in FIG. 1;
FIG. 5 is a front view of our design shown in FIG. 1;
FIG. 6 is a second side elevation of our design shown in FIG. 1;
FIG. 7 is a rear view of our design shown in FIG. 1; and,
FIG. 8 is right side perspective view of our new design shown in FIG. 1.

1 Claim, 3 Drawing Sheets



US D543,812 S

Page 2

U.S. PATENT DOCUMENTS

6,199,459 B1	3/2001	Azkona	D457,040 S *	5/2002	Hirschfeld	D8/4
6,212,978 B1	4/2001	Seber et al.	6,467,380 B1	10/2002	Azkona	
6,227,081 B1	5/2001	Bally et al.	6,880,434 B2 *	4/2005	Nouvel	81/409
6,279,431 B1	8/2001	Seber et al.	6,892,609 B2	5/2005	Kuo	
6,311,588 B1	11/2001	St. John et al.	2002/0139227 A1	10/2002	Azkona	
6,318,217 B1	11/2001	Emhardt et al.	2004/0194590 A1	10/2004	Engvall et al.	
6,327,943 B1	12/2001	Wrigley et al.	2004/0194591 A1	10/2004	Engvall et al.	
6,378,404 B1	4/2002	Bally et al.				

* cited by examiner

Fig. 2





Fig. 1




Fig. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




Fig. 8