

US00D543812S

(12) **United States Design Patent**  
**Burry et al.**

(10) **Patent No.:** **US D543,812 S**  
(45) **Date of Patent:** **\*\* Jun. 5, 2007**

(54) **GROOVELOCK TOOL**  
(75) Inventors: **James Michael Burry**, Troutman, NC  
(US); **David Philip Engvall**,  
Huntersville, NC (US)  
(73) Assignee: **Irwin Industrial Tool Company**,  
Huntersville, NC (US)  
(\*\*) Term: **14 Years**

5,850,768 A 12/1998 Chow  
D405,333 S \* 2/1999 Wrigley ..... D8/52  
D418,030 S \* 12/1999 Khachatoorian ..... D8/52  
6,000,303 A 12/1999 Chang  
D421,207 S \* 2/2000 Panier ..... D8/52  
6,019,020 A 2/2000 Liou  
6,101,908 A 8/2000 Azkona  
6,161,455 A 12/2000 Ping  
6,199,458 B1 3/2001 Wrigley et al.

(Continued)

(21) Appl. No.: **29/216,690**  
(22) Filed: **Nov. 5, 2004**  
(51) **LOC (8) Cl.** ..... **08-05**  
(52) **U.S. Cl.** ..... **D8/52**  
(58) **Field of Classification Search** ..... D8/4,  
D8/22, 51, 52, 54, 57, 107; 30/175, 193;  
81/129, 179, 186, 300, 302, 313, 314, 326,  
81/337, 342, 346, 351, 355, 358, 385, 386,  
81/393, 395, 397, 405, 407, 409, 411, 412,  
81/413, 416, 417, 418, 426, 427.5, 440; 140/117,  
140/118, 121, 124, 139  
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

DE 90 03 713 U1 5/1990  
DE 91 13 870 U 12/1992  
DE 199 63 818 A1 7/2001  
GB 27941 7/1914  
GB 2 166 382 A 5/1986  
GB 2 334 913 A 9/1999  
WO WO 99/44790 A1 9/1999

Primary Examiner—Alan P. Douglas  
Assistant Examiner—Deanna Fluegeman  
(74) Attorney, Agent, or Firm—Dennis J. Williamson;  
Moore & Van Allen PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,227,372 A \* 5/1917 Bledsoe ..... 81/405  
2,727,417 A 12/1955 Eifel  
3,176,551 A 4/1965 Hansen  
3,192,805 A 7/1965 Manning  
4,232,573 A 11/1980 Dace, Jr.  
4,296,655 A 10/1981 Tesoro  
4,438,669 A 3/1984 Hastings  
4,603,607 A 8/1986 Schaffner, Jr.  
4,662,252 A 5/1987 Warheit  
4,719,827 A 1/1988 Igarashi  
4,753,140 A 6/1988 Majima  
4,893,530 A 1/1990 Warheit  
4,901,609 A 2/1990 Crum  
4,922,770 A 5/1990 Dlugolecki et al.  
5,060,543 A 10/1991 Warheit  
5,134,908 A 8/1992 Fisher  
5,351,584 A 10/1994 Warheit  
5,660,089 A 8/1997 Chow


(57) **CLAIM**

We claim the ornamental design for a groovelock tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side perspective view showing an embodiment of our new design for a groovelock tool;  
FIG. 2 is a top view of our design shown in FIG. 1;  
FIG. 3 is a bottom view of our design shown in FIG. 1;  
FIG. 4 is a first side elevation of our design shown in FIG. 1;  
FIG. 5 is a front view of our design shown in FIG. 1;  
FIG. 6 is a second side elevation of our design shown in FIG. 1;  
FIG. 7 is a rear view of our design shown in FIG. 1; and,  
FIG. 8 is right side perspective view of our new design shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**



# US D543,812 S

Page 2

---



## U.S. PATENT DOCUMENTS

6,199,459 B1 3/2001 Azkona  
6,212,978 B1 4/2001 Seber et al.  
6,227,081 B1 5/2001 Bally et al.  
6,279,431 B1 8/2001 Seber et al.  
6,311,588 B1 11/2001 St. John et al.  
6,318,217 B1 11/2001 Emhardt et al.  
6,327,943 B1 12/2001 Wrigley et al.  
6,378,404 B1 4/2002 Bally et al.


D457,040 S \* 5/2002 Hirschfeld ..... D8/4  
6,467,380 B1 10/2002 Azkona  
6,880,434 B2 \* 4/2005 Nouvel ..... 81/409  
6,892,609 B2 5/2005 Kuo  
2002/0139227 A1 10/2002 Azkona  
2004/0194590 A1 10/2004 Engvall et al.  
2004/0194591 A1 10/2004 Engvall et al.

\* cited by examiner

*Fig. 2*



*Fig. 1*



*Fig. 3*




FIG. 4




FIG. 5




FIG. 6





FIG. 7



*Fig. 8*