

US00D543917S

(12) **United States Design Patent**
Carter et al.

(10) **Patent No.:** **US D543,917 S**
(45) **Date of Patent:** **** Jun. 5, 2007**

(54) **BUTTONS FOR REAR VIEW MIRROR ASSEMBLY**

(75) Inventors: **John W. Carter**, Holland, MI (US);
Kenton J. Ypma, Hudsonville, MI (US)

(73) Assignee: **Gentex Corporation**, Zeeland, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/228,928**

(22) Filed: **Apr. 29, 2005**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/187**

(58) **Field of Classification Search** D7/347,
D7/351, 358, 367, 694, 378, 386, 338, 340;
D10/12, 1, 22, 23, 24, 25, 26, 27, 28, 29,
D10/41, 50, 104, 106, 108; D14/308, 314,
D14/315, 333, 368, 379, 380-382, 406, 421,
D14/426-431, 434, 462-463, 474-477, 258,
D14/227, 157, 257, 391, 392; D12/187,
D12/188, 189, 223; 248/309.1, 475.1; 359/838,
359/871, 875, 841; D4/109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D327,061 S * 6/1992 Soren et al. D14/138
- D329,617 S * 9/1992 Tinz D10/51
- D348,674 S * 7/1994 Lindeman et al. D14/141.3
- D350,451 S * 9/1994 Dickson D7/384
- D351,370 S * 10/1994 Lawlor et al. D12/187
- D441,703 S * 5/2001 Rumsey et al. D12/187
- D450,281 S * 11/2001 Ypma et al. D12/187

- D451,869 S * 12/2001 Knapp et al. 12/187
- 6,420,800 B1 * 7/2002 LeVesque et al. 307/10.1
- 6,471,362 B1 10/2002 Carter et al.
- D466,456 S 12/2002 Carter et al.
- D520,883 S * 5/2006 Hillard et al. D10/50

OTHER PUBLICATIONS

Exhibit A is a picture of a mirror sold more than one year prior to the filing date of the present application.

* cited by examiner

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Price, Heneveld, Cooper, DeWitt & Litton, LLP

(57) **CLAIM**

We claim the ornamental design for the buttons for rear view mirror assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a buttons for rear view mirror assembly embodying a third embodiment of the present invention;

FIG. 2 is a front view thereof;


FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof; and,

FIG. 5 is a bottom view thereof.

The broken lines in FIGS. 1-5 are to show the environment of the present invention, but do not form a part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 543,917 S
APPLICATION NO. : 29/228928
DATED : June 5, 2007
INVENTOR(S) : John W. Carter et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete Drawing Fig. 1, and replace with Drawing Fig. 1 as shown below.




FIG. 1

Delete Drawing Fig. 2, and replace with Drawing Fig. 2 as shown below.




FIG. 2

Signed and Sealed this

Second Day of October, 2007

A handwritten signature in cursive script that reads "Jon W. Dudas". The signature is written in black ink on a light gray, dotted background.

JON W. DUDAS

Director of the United States Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 543,917 S
APPLICATION NO. : 29/228928
DATED : June 5, 2007
INVENTOR(S) : John W. Carter et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute therefor the attached title page.

Delete Drawing Fig. 1, and replace with Drawing Fig. 1 as shown below.




FIG. 1

Delete Drawing Fig. 2, and replace with Drawing Fig. 2 as shown below.




FIG. 2

This certificate supersedes Certificate of Correction issued October 2, 2007.

Signed and Sealed this

Thirtieth Day of October, 2007

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is written in a cursive style and is set against a light gray, dotted background.

JON W. DUDAS

Director of the United States Patent and Trademark Office

(12) United States Design Patent
Carter et al.

(10) Patent No.: US D543,917 S
(45) Date of Patent: ** Jun. 5, 2007

(54) BUTTONS FOR REAR VIEW MIRROR ASSEMBLY

**(75) Inventors: John W. Carter, Holland, MI (US);
 Kenton J. Ypma, Hudsonville, MI (US)**

(73) Assignee: Gentex Corporation, Zeeland, MI (US)

() Term: 14 Years**

(21) Appl. No.: 29/228,928

(22) Filed: Apr. 29, 2005

(51) LOC (8) Cl. 12-16

(52) U.S. Cl. D12/187

**(58) Field of Classification Search D7/347,
 D7/351, 358, 367, 694, 378, 386, 338, 340;
 D10/12, 1, 22, 23, 24, 25, 26, 27, 28, 29,
 D10/41, 50, 104, 106, 108; D14/308, 314,
 D14/315, 333, 368, 379, 380-382, 406, 421,
 D14/426-431, 434, 462-463, 474-477, 258,
 D14/227, 157, 257, 391, 392; D12/187,
 D12/188, 189, 223; 248/309.1, 475.1; 359/838,
 359/871, 875, 841; D4/109**

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

- D327,061 S * 6/1992 Soren et al. D14/138
- D329,617 S * 9/1992 Tinz D10/51
- D348,674 S * 7/1994 Lindeman et al. D14/141.3
- D356,451 S * 9/1994 Dickson D7/384
- D351,370 S * 10/1994 Lawler et al. D12/187
- D441,703 S * 5/2001 Rumsy et al. D12/187
- D456,281 S * 11/2001 Ypma et al. D12/187

- D451,869 S * 12/2001 Knapp et al. 12/187
- 6,420,800 B1 * 7/2002 LeVesque et al. 307/10.1
- 6,471,362 B1 10/2002 Carter et al.
- D466,456 S 12/2002 Carter et al.
- D520,883 S * 5/2006 Hillard et al. D10/50

OTHER PUBLICATIONS

Exhibit A is a picture of a mirror sold more than one year prior to the filing date of the present application.

* cited by examiner

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) Attorney, Agent, or Firm—Price, Heneveld, Cooper, DeWitt & Litton, LLP

(57) CLAIM

We claim the ornamental design for the buttons for rear view mirror assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a buttons for rear view mirror assembly embodying a third embodiment of the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof; and,

FIG. 5 is a bottom view thereof.

The broken lines in FIGS. 1-5 are to show the environment of the present invention, but do not form a part of the claimed design.

1 Claim, 2 Drawing Sheets

