

US00D543924S

(12) **United States Design Patent** (10) **Patent No.:** **US D543,924 S**
Brown (45) **Date of Patent:** **** Jun. 5, 2007**

(54) **BEAD LOCK SIMULATOR**

(76) Inventor: **Ronald D. Brown**, P.O. Box 1157,
Pinedale, WY (US) 82941

(**) Term: **14 Years**

(21) Appl. No.: **29/200,733**

(22) Filed: **Mar. 3, 2004**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/213**

(58) **Field of Classification Search** D12/207-213;
301/37.101, 64.101, 65
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,367,823 A * 1/1945 Brink 152/411
3,302,506 A * 2/1967 Turner et al. 83/665
2003/0080609 A1 * 5/2003 Darnell 301/95.11
2006/0037685 A1 * 2/2006 Clements et al. 152/396

OTHER PUBLICATIONS

http://www.trailready.com/wheels_aluminum.html.*

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—George D. Kirschbaum

(74) *Attorney, Agent, or Firm*—Workman Nydegger

(57) **CLAIM**

The ornamental design for a bead lock simulator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bead lock simulator in accordance with the present invention, illustrating the bead lock simulator with an exemplary vehicle;


FIG. 2 is a perspective view of the bead lock simulator;

FIG. 3 is a front view of the bead lock simulator; and,

FIG. 4 is side view of the bead lock simulator.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4