

US00D544228S

(12) **United States Design Patent** (10) **Patent No.:** **US D544,228 S**
Bartlmae (45) **Date of Patent:** **** Jun. 12, 2007**

(54) **CHAIR**

(75) Inventor: **Kerstin Bartlmae**, S. Margherita Lig.
(IT)

(73) Assignee: **Michigan Tube Swagers and
Fabricators, Inc.**, Temperance, MI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/240,479**

(22) Filed: **Oct. 13, 2005**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/374; D6/380**

(58) **Field of Classification Search** D6/334–336,
D6/364, 365, 370–373, 374, 376, 379, 380,
D6/500–502; 297/239, 445.1, 446.1, 451.1,
297/452.1, 452.48

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D150,683 S *	8/1948	Eames		D6/374
D169,930 S *	6/1953	Chapman et al.		D6/374
D169,931 S *	6/1953	Chapman et al.		D6/374
D181,213 S *	10/1957	Lubberts et al.		D6/374
D181,241 S *	10/1957	Swanson		D6/374
D272,393 S *	1/1984	Klier		D6/334
D355,081 S *	2/1995	Scheper		D6/380
D363,829 S *	11/1995	Berlic		D6/380
D374,131 S	10/1996	Muller		D6/380
D376,272 S *	12/1996	Piretti		D6/374
D410,802 S *	6/1999	Olson		D6/379
D429,911 S	8/2000	Bartlmae		D6/380
D433,855 S *	11/2000	Turner et al.		D6/502
D457,345 S	5/2002	Lewis		D6/380
D457,744 S	5/2002	Lewis		D6/380
D464,494 S *	10/2002	Gasca Burges		D6/374
D464,821 S *	10/2002	Chiang		D6/370
D468,926 S	1/2003	Bongaerts		D6/380
D485,081 S	1/2004	Bongaerts		D6/360
D488,632 S *	4/2004	Muller		D6/380

D502,331 S	3/2005	Socha, Jr. et al.		D6/374
D506,338 S	6/2005	Gasser		D6/502
D512,236 S *	12/2005	Preisig		D6/374
D513,456 S *	1/2006	Smith		D6/380
D520,768 S *	5/2006	Glass et al.		D6/374
D521,757 S *	5/2006	Glass et al.		D6/372

OTHER PUBLICATIONS

Photograph of chair (believed to have been offered for sale, publicly used, and/or published prior to the filing date of this application).

* cited by examiner

Primary Examiner—Mimosa De

(74) *Attorney, Agent, or Firm*—Gifford, Krass, Groh,
Sprinkle, Anderson & Citkowski, PC

(57) **CLAIM**

I claim the ornamental design for a chair, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a chair according to the present invention;

FIG. 2 is a front elevational view of the chair of FIG. 1;

FIG. 3 is a side elevational view of the chair of FIGS. 1 and 2, the opposite side view being a mirror image thereof;

FIG. 4 is a top plan view of the chair of FIGS. 1–3;

FIG. 5 is a rear elevational view of the chair of FIGS. 1–4;

FIG. 6 is a bottom view of the chair of FIGS. 1–5;

FIG. 7 is a perspective view of a second embodiment of the chair of FIG. 1;

FIG. 8 is a front elevational view of the chair of FIG. 7;


FIG. 9 is a side elevational view of the chair of FIGS. 7 and 8, the opposite side view being a mirror image thereof;

FIG. 10 is a top plan view of the chair of FIGS. 7–9;

FIG. 11 is a rear elevational view of the chair of FIGS. 7–10; and,

FIG. 12 is a bottom view of the chair of FIGS. 7–11.

1 Claim, 6 Drawing Sheets






FIG - 1




FIG - 3




FIG - 2




FIG - 6




FIG - 5




FIG - 4




FIG - 7




FIG - 9




FIG - 8




FIG - 12




FIG - 11




FIG - 10