

US00D544275S

(12) **United States Design Patent** (10) **Patent No.:** **US D544,275 S**
Tanus (45) **Date of Patent:** **** Jun. 12, 2007**

(54) **WORKBENCH**

(75) Inventor: **Abraham Tanus**, Weslaco, TX (US)

(73) Assignee: **Tan'US Sales Co**, Weslaco, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/225,059**

(22) Filed: **Mar. 11, 2005**

(51) **LOC (8) Cl.** **06-04**

(52) **U.S. Cl.** **D6/555**

(58) **Field of Classification Search** D6/555,
D6/553, 567, 569; 312/114, 126, 128-129,
312/204, 231, 234, 242, 245; 211/13.1, 14,
211/88.01, 134, 126.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-----------------|---------|--------------------|--------|
| 1,428,957 A | 9/1922 | Hall | |
| 1,707,021 A | 3/1929 | Lea et al. | |
| 1,758,238 A | 5/1930 | Peterson | |
| 2,582,812 A | 1/1952 | Wise | |
| D179,871 S | 3/1957 | Wrablica | |
| D181,602 S | 12/1957 | Polk | |
| 4,366,999 A | 1/1983 | Koncelik et al. | |
| D287,800 S | 1/1987 | Lance | |
| D302,772 S * | 8/1989 | Friedman | D6/555 |
| D326,384 S * | 5/1992 | Burt et al. | D6/555 |
| D395,185 S * | 6/1998 | Neufeld et al. | D6/555 |
| 5,924,781 A | 7/1999 | Mitchell | |
| D412,634 S * | 8/1999 | Helmsderfer et al. | D6/555 |
| D422,441 S * | 4/2000 | Perelli | D6/555 |
| 6,113,202 A | 9/2000 | Germano | |
| D459,131 S * | 6/2002 | Zazenski | D6/555 |
| 2004/0207298 A1 | 10/2004 | Rodon et al. | |
| 2005/0057910 A1 | 3/2005 | Schnurr | |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-----------|--------|
| CH | 608 949 | 2/1979 |
| GB | 2 046 083 | 2/1980 |

* cited by examiner

Primary Examiner—Brian N Vinson
(74) *Attorney, Agent, or Firm*—McGuireWoods LLP

(57) **CLAIM**

I claim the ornamental design for a workbench, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the workbench in its open position exposing the working surface;

FIG. 2 is a front view of the design embodiment shown in FIG. 1;

FIG. 3 is a top view of the design embodiment shown in FIG. 1;

FIG. 4 is a left side view of the design embodiment shown in FIG. 1;

FIG. 5 is a right side view of the design embodiment shown in FIG. 1;

FIG. 6 is a perspective view of another aspect of the workbench in its open position exposing the working surface;

FIG. 7 is a front view of the design embodiment shown in FIG. 6;

FIG. 8 is a top view of the design embodiment shown in FIG. 6;


FIG. 9 is a left side view of the design embodiment shown in FIG. 6; and,

FIG. 10 is a right side view of the design embodiment shown in FIG. 6.

Applicant expressly reserves the right to modify the dashed lines of FIGS. 1-10 to be solid lines and to modify the solid lines of FIGS. 1-10 to be dashed lines.

The subject matter shown in dashed lines, including the hinge, handle hardware, and fasteners, and any surfaces of the design not shown, including the bottom and back surfaces, form no part of the claimed invention.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10