

## US00D544360S

# (12) United States Design Patent (10) Patent No.:

Archeny et al.

US D544,360 S

(45) Date of Patent:

\*\* Jun. 12, 2007

## CONTAINER WITH GRIP

Inventors: **Armel Archeny**, Bouvesse-Quirieu (FR); **Brice Arlaud**, Lyons (FR)

Assignee: Graham Packaging Company, LP,

York, PA (US)

14 Years Term:

Appl. No.: 29/215,557

Oct. 22, 2004 (22)Filed:

LOC (8) Cl. ...... 09-01

(58)D9/655–664, 682–694, 715, 718–719, 723–729, D9/516, 522–523, 527–528, 541–544, 546,

D9/549, 551–552, 559, 561, 567–568, 570, D9/572-575, 905, 434-435, 447-450; 215/12.1-12.2, 215/13.1, 382–384, 396, 398; D28/76, 91, D28/91.1; D7/590–591, 598

See application file for complete search history.

### (56)**References Cited**

## U.S. PATENT DOCUMENTS

D268,324	$\mathbf{S}$	*	3/1983	Gautier D9/560
D275,267	$\mathbf{S}$	*	8/1984	Gautier D9/560
D313,747	$\mathbf{S}$	*	1/1991	Martin D9/658
D329,868	$\mathbf{S}$	*	9/1992	Sakaguchi et al D9/570 X
D333,704	$\mathbf{S}$	*	3/1993	Malcolm D9/560 X
D340,867	$\mathbf{S}$	*	11/1993	Martin
D421,721	$\mathbf{S}$	*	3/2000	Guertin
D463,292	$\mathbf{S}$	*	9/2002	Del Bianco
D476,898	$\mathbf{S}$	*	7/2003	Schuller et al D9/529
D504,069	$\mathbf{S}$	*	4/2005	Gross et al

## OTHER PUBLICATIONS

U.S. Appl. No. 29/215,559, filed Oct. 22, 2004. U.S. Appl. No. 29/215,558, filed Oct. 22, 2004.

Primary Examiner—Carol Rademaker


(74) Attorney, Agent, or Firm—Venable LLP; James R. Burdett; Keith G. Haddaway

#### **CLAIM** (57)

The ornamental design for a container with grip, as shown and described.

## DESCRIPTION

- FIG. 1 is an elevated front view of a container with grip according to the present invention;
- FIG. 2 is a front view of a container with grip according to the present invention;
- FIG. 3 is a back view of a container with grip according to the present invention;
- FIG. 4 is a left side view (i.e. a view of the container of FIG. 2 rotated 90° to the right) of a container with grip according to the present invention;
- FIG. 5 is a right side view of a container with grip according to the present invention;
- FIG. 6 is a top view of a container with grip according to the present invention;
- FIG. 7 is a bottom view of a container with grip according to the present invention;
- FIG. 8 is an elevated perspective view of a container with grip according to the present invention taken by rotating the container of FIG. 1 about 30° to the right.;
- FIG. 9 is an elevated perspective view of a container with grip according to the present invention taken by rotating the container of FIG. 1 about 45° to the right.;
- FIG. 10 is an bottom elevational view of a container with grip according to the present invention;
- FIG. 11 is a cross-sectional view of a container with grip according to the present invention taken along the line 11—11 of FIG. 2 and is shown to illustrate the contours of the container at the indicated position;
- FIG. 12 is a cross-sectional view of a container with grip according to the present invention taken along the line 12—12 of FIG. 2 and is shown to illustrate the contours of the container at the indicated position;



<sup>\*</sup> cited by examiner

FIG. 13 is a cross-sectional view of a container with grip according to the present invention taken along the line 13—13 of FIG. 2 and is shown to illustrate the contours of the container at the indicated position;

FIG. 14 is a cross-sectional view of a container with grip according to the present invention taken along the line 14—14 of FIG. 2 and is shown to illustrate the contours of the container at the indicated position; and,

FIG. 15 is a cross-sectional view of a container with grip according to the present invention taken along the line 15—15 of FIG. 2 and is shown to illustrate the contours of the container at the indicated position.

The broken line showing of a thread and of the top, inside edge of the pour spout is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 15 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



F1G. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10



F1G. 11




FIG. 12




FIG. 13





FIG. 14



F1G. 15