

US00D544647S

(12) **United States Design Patent**
Israel

(10) **Patent No.:** **US D544,647 S**
(45) **Date of Patent:** **** Jun. 12, 2007**

(54) **SET OF ILLUMINATING TWEEZERS WITH CONTAINER**

(75) Inventor: **Eran Israel**, Guangzhou (CN)
(73) Assignee: **Adar International Ltd.**, Causway Bay (HK)
(**) Term: **14 Years**

(21) Appl. No.: **29/254,740**
(22) Filed: **Feb. 28, 2006**

(30) **Foreign Application Priority Data**

Oct. 28, 2005 (CN) 2005 2 0128599
Jan. 4, 2006 (EM) 000456660
Jan. 24, 2006 (IL) 41896

(51) **LOC (8) Cl.** **28-03**
(52) **U.S. Cl.** **D28/55**
(58) **Field of Classification Search** 606/133,
606/210, 211; D24/143; 294/99.1, 99.2; D28/55
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

849,789 A * 4/1907 Hurd 294/99.2
2,451,994 A * 10/1948 Towns 606/211
D175,259 S * 8/1955 Johnson D28/55
D199,564 S * 11/1964 Koss D28/55
D253,974 S * 1/1980 Nalbandian D28/55
4,240,435 A * 12/1980 Yazawa et al. 606/133
D497,215 S * 10/2004 Shaljian D28/55
D506,574 S * 6/2005 Yip D28/55

* cited by examiner

Primary Examiner—Jennifer Rivard
(74) *Attorney, Agent, or Firm*—Nath & Associates PLLC;
Derek Richmond; Gregory B. Kang


(57) **CLAIM**

We claim the ornamental design for the set of illuminating tweezers with container, as shown and described.

DESCRIPTION

FIG. 1 is a bottom view of the tweezers container;
FIG. 2 is a front view of the tweezers container, in an open position;
FIG. 3 is a rear view of the tweezers container, in an open position;
FIG. 4 is a top view of the tweezers container, in an open position;
FIG. 5 is a side view of the tweezers container, in an open position;
FIG. 6 is an isometric view of the tweezers container, in an open position;
FIG. 7 is a bottom view of the tweezers container cap;
FIG. 8 is a side view of the tweezers container cap;
FIG. 9 is an isometric view of the tweezers container cap;
FIG. 10 is a top view of the tweezers container cap;
FIG. 11 is an isometric view of the tweezers container in an assembled position;
FIG. 12 is a top view of the container in an assembled position;
FIG. 13 is a front view of the assembled container;
FIG. 14 is a bottom view of the assembled container;
FIG. 15 is a rear view of the assembled container;
FIG. 16 is a side view of the assembled container;
FIG. 17 is a front view of the illuminating tweezers;
FIG. 18 is a rear view of the illuminating tweezers;
FIG. 19 is a bottom view of the illuminating tweezers;
FIG. 20 is a top view of the illuminating tweezers;
FIG. 21 is a right side view of the illuminating tweezers;
FIG. 22 is a left side view of the illuminating tweezers; and,
FIG. 23 is an isometric view of the illuminating tweezers.
The illuminating tweezers, container, and container cap are shown separately for convenience of illustration.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23