



US00D544670S

(12) **United States Design Patent**
Sorvill

(10) **Patent No.:** **US D544,670 S**

(45) **Date of Patent:** **** Jun. 12, 2007**

(54) **APPARATUS TO SUSPEND GLOVES FOR DRYING**

D488,603 S * 4/2004 Bardenhagen-Shuster D32/58
* cited by examiner

(76) Inventor: **Carmen Sorvill**, 482 Stonemont Dr.,
Weston, FL (US) 33326

Primary Examiner—Pamela J. Burgess
(74) *Attorney, Agent, or Firm*—Sanchelima & Assoc., P.A.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/244,532**

The ornamental design for the apparatus to suspend gloves for drying, as shown and described.

(22) Filed: **Dec. 12, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **07-05**

FIG. 1 is a front elevational view of the apparatus to suspend gloves for drying;

(52) **U.S. Cl.** **D32/58**

FIG. 2 is a rear view thereof;

(58) **Field of Classification Search** D32/35,

FIG. 3 is a right view thereof;

D32/55-59; 34/106, 103-104, 21, 184, 187,
34/239-240; 211/34-37, 13, 59.1, 74-75;
D7/616, 673

FIG. 4 is a left view thereof;

See application file for complete search history.

FIG. 5 is a top view thereof;

(56) **References Cited**

FIG. 6 is a bottom view thereof; and,


U.S. PATENT DOCUMENTS

FIG. 7 is a perspective view of the apparatus to suspend gloves for drying in condition of use suspending a pair of gloves.

| | | | | |
|---------------|---------|----------------|-------|--------|
| D243,313 S * | 2/1977 | Varnado | | D32/58 |
| D322,344 S * | 12/1991 | Winkler | | D32/58 |
| D371,728 S * | 7/1996 | Krueger | | D7/673 |
| 5,692,316 A * | 12/1997 | Antal | | 34/106 |
| D460,295 S * | 7/2002 | Fissell et al. | | D6/467 |
| D465,891 S * | 11/2002 | Brown | | D32/55 |

The broken lines are for environmental purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7