

US00D544800S

(12) **United States Design Patent**
Haupt

(10) **Patent No.:** **US D544,800 S**
(45) **Date of Patent:** **** Jun. 19, 2007**

(54) **ELECTRONIC CLOCK**

(75) Inventor: **Rolf Haupt**, Chaiwan (HK)

(73) Assignee: **La Crosse Technology Ltd.**, La Crosse, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/217,646**

(22) Filed: **Nov. 19, 2004**

(51) **LOC (8) Cl.** **10-01**

(52) **U.S. Cl.** **D10/15**

(58) **Field of Classification Search** D10/1-4,
D10/6-8, 10, 15, 16, 21-27, 43, 123, 126;
D11/108; 368/10, 316, 317, 228, 232, 239-242,
368/179-183, 276; D14/141.3, 140
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,609 S	*	9/1992	Wolff	D10/2
D431,234 S	*	9/2000	Crowe et al.	D14/141.3
D452,656 S	*	1/2002	So	D10/15
D497,556 S	*	10/2004	Hsu	D10/15
D502,113 S	*	2/2005	Bhavnani	D10/18

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—George D. Kirschbaum, Jr.

(74) *Attorney, Agent, or Firm*—Olson & Hierl, Ltd.

(57) **CLAIM**

The ornamental design for electronic clock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design for a electronic clock with the rear support legs extended;

FIG. 2 is a side elevational view of the one side of the FIG. 1 design;

FIG. 3 is a side elevational view of the opposite side of the FIG. 1 design;

FIG. 4 is a front elevational view of the FIG. 1 design;

FIG. 5 is a rear elevational view of the FIG. 1 design;

FIG. 6 is a top plan view of the FIG. 1 design;

FIG. 7 is a bottom plan view of the FIG. 1 design;

FIG. 8 is a perspective view of the FIG. 1 design with the rear support legs retracted;

FIG. 9 is a side elevational view similar to FIG. 2 but with the rear support legs retracted as shown in FIG. 8;

FIG. 10 is a side elevational view of the opposite side similar to FIG. 3 but with the rear support legs retracted as shown in FIG. 8;

FIG. 11 is a front elevational view similar to FIG. 4 but with the rear support legs retracted as shown in FIG. 8;

FIG. 12 is a rear elevational view similar to FIG. 5 but with the rear support legs retracted as shown in FIG. 8;

FIG. 13 is a top plan view similar to FIG. 6 but with the rear support legs retracted as shown in FIG. 8;

FIG. 14 is bottom plan view similar to FIG. 7 but with the rear support leg retracted as shown in FIG. 8;

FIG. 15 is a perspective view of a second embodiment of my new design for an electronic clock with rear support legs extended.

FIG. 16 is a side elevational view of the one side of the FIG. 15 design;

FIG. 17 is a side elevational view of the opposite side of the FIG. 15 design;

FIG. 18 is a front elevational view of the FIG. 15 design;

FIG. 19 is a rear elevational view of the FIG. 15 design;

FIG. 20 is a top plan view of the FIG. 15 design;

FIG. 21 is a bottom plan view of the FIG. 15 design;

FIG. 22 is a perspective view of the FIG. 15 design with the rear legs retracted;

FIG. 23 is a side elevational view similar to FIG. 16 but with the rear support legs retracted as shown in FIG. 22;

FIG. 24 is a side elevational view of the opposite side similar to FIG. 17 but with the rear support legs retracted as shown in FIG. 22;

FIG. 25 is a front elevational view similar to FIG. 18 but with the rear support legs retracted as shown in FIG. 22;

FIG. 26 is a rear elevational view similar to FIG. 19 but with the rear support legs retracted as shown in FIG. 22;




FIG. 27 is a top plan view similar to FIG. 20 but with the rear support legs retracted as shown in FIG. 22; and,

FIG. 28 is bottom plan view similar to FIG. 21 but with the rear support leg retracted as shown in FIG. 22.

The broken line showing of display characters is included for the purpose of illustrating environmental subject matter and forms no part of the claimed design.

1 Claim, 10 Drawing Sheets

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27



Fig. 28

