



US00D544852S

(12) **United States Design Patent**  
**Takamori et al.**

(10) **Patent No.:** **US D544,852 S**  
(45) **Date of Patent:** **\*\* Jun. 19, 2007**

(54) **PORTABLE TELEPHONE**

(75) Inventors: **Satoshi Takamori**, Shiga (JP); **Masami Nishida**, Osaka (JP)

(73) Assignee: **Omron Corporation**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/237,711**

(22) Filed: **Sep. 7, 2005**

(30) **Foreign Application Priority Data**

Mar. 7, 2005	(JP)	.....	2005-006498
Mar. 7, 2005	(JP)	.....	2005-006499
Mar. 7, 2005	(JP)	.....	2005-006500
Mar. 7, 2005	(JP)	.....	2005-006501

(51) **LOC (8) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/138**

(58) **Field of Classification Search** ..... D14/137,  
D14/138, 147, 218, 341-347; 455/90.3, 575.1,  
455/575.3, 575.4; 379/433.01-433.13; 361/814;  
348/14.02

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,027,592	A	*	4/1962	Schnur	.....	16/355
D302,549	S	*	8/1989	Wright	.....	D14/345
D317,759	S	*	6/1991	Azima	.....	D14/327
D319,441	S	*	8/1991	Konno et al.	.....	D14/147
D332,945	S	*	2/1993	Savio	.....	D14/327
D345,734	S	*	4/1994	Seymour et al.	.....	D14/138
5,493,690	A	*	2/1996	Shimazaki	.....	455/575.3
D391,954	S	*	3/1998	Kawashima	.....	D14/138
D459,326	S	*	6/2002	Nagai et al.	.....	D14/138
D477,293	S	*	7/2003	Hwang	.....	D14/138
D488,454	S	*	4/2004	Lee	.....	D14/138
D496,017	S	*	9/2004	Hsu et al.	.....	D14/138
D496,643	S	*	9/2004	Yoo et al.	.....	D14/138
D507,251	S	*	7/2005	Burns et al.	.....	D14/138
D507,551	S	*	7/2005	Kim et al.	.....	D14/138
D508,035	S	*	8/2005	Kim et al.	.....	D14/138
D512,975	S	*	12/2005	Tsai et al.	.....	D14/138

D517,039	S	*	3/2006	Lee	.....	D14/138
D519,966	S	*	5/2006	Salmi et al.	.....	D14/138
D522,989	S	*	6/2006	Viitasaari	.....	D14/138
D525,229	S	*	7/2006	Friesen et al.	.....	D14/138
D532,767	S	*	11/2006	Yoshino et al.	.....	D14/138
2003/0092401	A1	*	5/2003	Ikeuchi	.....	455/90
2003/0109232	A1	*	6/2003	Park et al.	.....	455/90
2003/0181225	A1	*	9/2003	Hasegawa et al.	.....	455/566
2004/0142721	A1	*	7/2004	Kim	.....	455/550.1
2004/0180703	A1	*	9/2004	Kim et al.	.....	455/575.1
2004/0204060	A1	*	10/2004	Makinouchi et al.	....	455/556.1
2006/0198513	A1	*	9/2006	Eldon	.....	379/433.13

**OTHER PUBLICATIONS**

Alcatel OT-S850, announced 2nd quarter 2005, [online], [retrieved on Nov. 28, 2006]. Retrieved from Internet ,<URL: <http://www.gsmarena.com>>.\*

BenQ-Siemens EF71, announced May 2006, [online], [retrieved on Nov. 28, 2006]. Retrieved from Internet ,<URL: <http://www.gsmarena.com>>.\*

BenQ-Siemens EF81, announced Jan. 2006, [online], [retrieved on Nov. 28, 2006]. Retrieved from Internet ,<URL: <http://www.gsmarena.com>>.\*

Sharp GX29, announced Feb. 2006, [online], [retrieved on Nov. 28, 2006]. Retrieved from Internet ,<URL: <http://www.gsmarena.com>>.\*

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

*Assistant Examiner*—Bridget L. Eland

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a portable telephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, rear and right side perspective view of a portable telephone showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;




FIG. 6 is a right side elevational view thereof;  
 FIG. 7 is a left side elevational view thereof;  
 FIG. 8 is a bottom, rear and left side perspective view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 9 is a top, rear and right side perspective view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 10 is a front elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 11 is a rear elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 12 is a top plan view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 13 is a bottom plan view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 14 is a right side elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 15 is a left side elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 16 is a bottom, front and left side perspective view showing a condition, in which the display-side housing is opened;  
 FIG. 17 is a top, rear and left side perspective view showing a condition, in which the display-side housing is opened;  
 FIG. 18 is a front elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 19 is a rear elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 20 is a top plan view showing a condition, in which the display-side housing is opened;  
 FIG. 21 is a bottom plan view showing a condition, in which the display-side housing is opened;  
 FIG. 22 is a right side elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 23 is a left side elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 24 is a bottom, rear and right side perspective view of a portable telephone showing a second embodiment of our new design;  
 FIG. 25 is a front elevational view thereof;  
 FIG. 26 is a rear elevational view thereof;  
 FIG. 27 is a top plan view thereof;

FIG. 28 is a bottom plan view thereof;  
 FIG. 29 is a right side elevational view thereof;  
 FIG. 30 is a left side elevational view thereof;  
 FIG. 31 is a bottom, rear and left side perspective view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 32 is a top, rear and right side perspective view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 33 is a front elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 34 is a rear elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 35 is a top plan view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 36 is a bottom plan view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 37 is a right side elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation side housing;  
 FIG. 38 is a left side elevational view showing a condition, in which the display-side housing is opened at a substantially right angle to the operation-side housing;  
 FIG. 39 is a bottom, front and left side perspective view showing a condition, in which the display-side housing is opened;  
 FIG. 40 is a top, rear and left side perspective view showing a condition, in which the display-side housing is opened;  
 FIG. 41 is a front elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 42 is a rear elevational view showing a condition, in which the display-side housing is opened;  
 FIG. 43 is a top plan view showing a condition, in which the display-side housing is opened;  
 FIG. 44 is a bottom plan view showing a condition, in which the display-side housing is opened;  
 FIG. 45 is a right side elevational view showing a condition, in which the display-side housing is opened; and,  
 FIG. 46 is a left side elevational view showing a condition, in which the display-side housing is opened.  
 The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 28 Drawing Sheets**




Fig. 1

Fig. 2





Fig. 3






Fig. 5




Fig. 4

Fig. 6




Fig. 7





Fig. 8






Fig. 9



Fig. 10




Fig. 11




Fig. 13




Fig. 12




Fig. 14





Fig. 15






Fig. 16




Fig. 17

Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23








Fig. 24

Fig. 26





Fig. 25






Fig. 28




Fig. 27

Fig. 29





Fig. 30






Fig. 31




Fig. 32

Fig. 33




Fig. 34




Fig. 35




Fig. 36






Fig. 37





Fig. 38






Fig. 39




Fig. 40




Fig. 41




Fig. 42

Fig. 43




Fig. 44




Fig. 45



Fig. 46

