

US00D544897S

(12) **United States Design Patent**
Mullett et al.

(10) **Patent No.:** **US D544,897 S**
(45) **Date of Patent:** **** Jun. 19, 2007**

(54) **BINOCULAR HOUSING AND USER INTERFACE**

(75) Inventors: **John Mullett**, Leawood, KS (US);
James Wilson, Overland Park, KS (US)

(73) Assignee: **Bushnell Performance Optics**,
Overland Park, KS (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,201**

(22) Filed: **Nov. 21, 2005**

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/133**

(58) **Field of Classification Search** D16/130,
D16/132, 133, 202, 208; 359/407-418, 363,
359/415; 396/432, 377; D14/168, 169, 170
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,986,803 A * 11/1999 Kelly 359/409

(Continued)

Primary Examiner—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Hovey Williams LLP

(57) **CLAIM**

The ornamental design for a binocular housing and user interface, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a binocular housing and user interface illustrating a left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein a retractable display of the user interface is in a closed position;

FIG. 2 is a plan view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the closed position;

FIG. 3 is a side elevation view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the closed position;

FIG. 4 is a rear view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the closed position;

FIG. 5 is a front view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the closed position;

FIG. 6 is an isometric view of the binocular housing and user interface illustrating a left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line, wherein the retractable display is in an open position;

FIG. 7 is a plan view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the open position;


FIG. 8 is a side elevation view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the open position;

FIG. 9 is a rear view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the open position; and,

FIG. 10 is a front view of the binocular housing and user interface illustrating the left barrel, right barrel, and bridge in broken line and the claimed design of a housing and user interface in solid line wherein the retractable display is in the open position.

The broken lines are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D544,897 S

Page 2

U.S. PATENT DOCUMENTS			
D445,814 S	*	7/2001 Oki et al.	D16/202
D476,349 S	*	6/2003 Fujii	D16/208
D484,900 S	*	1/2004 Lee et al.	D16/133
D496,672 S	*	9/2004 Hines et al.	D16/133
D502,201 S	*	2/2005 Hines et al.	D16/208
D504,144 S	*	4/2005 Lee et al.	D16/133

* cited by examiner

FIG. 1.




FIG. 4.





FIG. 5






FIG. 2.

FIG. 3.





FIG. 6.






FIG. 7.




FIG. 8.

FIG. 9




FIG. 10.

