

US00D544913S

(12) United States Design Patent (10) Patent No.:

Hodsdon

US D544,913 S

(45) **Date of Patent:**

** Jun. 19, 2007

PRINTING STOCK FOR MAKING A SIGN

Jerry G. Hodsdon, Forestdale, MA Inventor: (US)

Assignee: Avery Dennison Corporation, (73)

Pasadena, CA (US)

14 Years Term:

Appl. No.: 29/221,330

(22)Filed: Jan. 13, 2005

(51)	LOC (8) Cl	19-01
(52)	U.S. Cl	D19/1

(58)Field of Classification Search D19/1–34.5; D6/300, 309; D20/40; 40/702–5, 772, 776 See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D9,970	S	*	5/1877	Alfred	D19/1
D40,013	S	*	5/1909	Soltmann et al	D19/1
1,863,430	A	*	6/1932	Woerner, Jr	40/778
2,118,384	A	*	5/1938	Patten	40/790

(Continued)

OTHER PUBLICATIONS

http://web.archive.org/web/20041013140355/www.orientaloutpostlcom/framing/7e.jpg Website from 2004 p. 1 of 2.* http://web.archive.org/web/20041013134224 WWW. orientaloutpostlcom/framing/7d.jpg Website from 2004 p. 2 of 2.*

Primary Examiner—Louis S. Zarfas Assistant Examiner—Susan E Krakower

(57)**CLAIM**

The ornamental design for a printing stock for making a sign, as shown and described.

DESCRIPTION

FIG. 1 is a front view of printing stock for making a sign according to a first embodiment with substantially uniform margins;

FIG. 2 is a front view of printing stock for making a sign according to a second embodiment, the only difference with the embodiment in FIG. 1 being that there are registration marks in each of the four corners of a removable label, and FIG. 2 includes an enlarged fragmentary front view of a top right corner of the printing stock;

FIG. 3 is a front view of printing stock for making a sign according to a third embodiment, the only difference with the embodiment of FIG. 2 being that the registration marks have a different configuration, and FIG. 3 includes an enlarged fragmentary front view of a top right corner of the printing stock;

FIG. 4 is a front view of printing stock for making a sign according to a fourth embodiment, the only difference with the embodiment of FIG. 2 being that the registration marks have a still different configuration, and FIG. 4 includes an enlarged fragmentary front view of a top right corner of the printing stock;


FIG. 5 is a front view of printing stock for making a sign according to a fifth embodiment, the only difference with the embodiment of FIG. 2 being that the registration marks have yet another different configuration, and FIG. 5 includes an enlarged fragmentary front view of a top right corner of the printing stock;


FIG. 6 is a front view of printing stock for making a sign according to a sixth embodiment, the only difference with the embodiment of FIG. 2 being that the registration marks have still another different configuration, and FIG. 6 includes an enlarged fragmentary front view of a top right corner of the printing stock;


FIG. 7 is a back view of printing stock for making a sign; and,

FIG. 8 is a fragmentary side view of a top side, a bottom side, a right side, and a left side of printing stock for making a sign.

1 Claim, 6 Drawing Sheets











US D544,913 S Page 2


U.S. PATENT	DOCUMENTS	4,378,647 A * 4/1	983 Stancato
		5,025,581 A * 6/1	991 Polzin 40/776
	Fitzpatrick D19/1	5,279,692 A * 1/1	994 Best et al 156/268
2,736,976 A * 3/1956	Richthamer 40/776		997 Shelton D19/34
3,280,493 A * 10/1966	Newman 40/702	*	999 Werner
	Milos 40/778	5,055,225 11 1/1	
		* cited by examiner	














FIG. 7




FIG. 8