



US00D544932S

(12) **United States Design Patent**
Scott

(10) **Patent No.:** **US D544,932 S**
(45) **Date of Patent:** **** Jun. 19, 2007**

(54) **LACROSSE STICK COMPONENT**

(75) Inventor: **Mark A. Scott**, Indianapolis, IN (US)

(73) Assignee: **Prototype Development**, Indianapolis, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/252,681**

(22) Filed: **Jan. 25, 2006**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/724**

(58) **Field of Classification Search** **D21/724;**
473/505-515

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,459,389	A	6/1923	Brown
2,508,519	A	5/1950	Jay
2,596,894	A	5/1952	Frisch
3,473,806	A	10/1969	Patterson
3,507,495	A	4/1970	Tucker et al.
3,702,702	A	11/1972	Hoult
3,822,062	A	7/1974	Tucker et al.
4,037,841	A	7/1977	Lewis, Jr.
4,097,046	A	6/1978	Friant

(Continued)

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Maginot, Moore & Beck

(57) **CLAIM**

The ornamental design for a lacrosse stick component, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view a lacrosse stick component showing my new design;

FIG. 2 is a cross-sectional view taken along the lines 2-2 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 3 is a cross-sectional view taken along the lines 3-3 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 4 is a cross-sectional view taken along the lines 4-4 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 5 is a cross-sectional view taken along the lines 5-5 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 6 is a cross-sectional view taken along the lines 6-6 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 7 is a cross-sectional view taken along the lines 7-7 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 8 is a cross-sectional view taken along the lines 8-8 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 9 is a cross-sectional view taken along the lines 9-9 of FIG. 1 showing the design for the lacrosse stick component of FIG. 1;

FIG. 10 is a perspective view showing the design for the lacrosse stick component of FIG. 1;

FIG. 11 is an end elevational view taken along the line 11-11 of FIG. 10 showing the design for the lacrosse stick component of FIG. 1;


FIG. 12 is a rear elevational view showing the design for the lacrosse stick component of FIG. 1;

FIG. 13 is a left side elevational view showing the design for the lacrosse stick component of FIG. 1; and,

FIG. 14 is a right side elevational view showing the design for the lacrosse stick component of FIG. 1.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D544,932 S

Page 2

U.S. PATENT DOCUMENTS

4,206,918 A	6/1980	Lewis, Jr.	5,048,843 A	9/1991	Dorfi et al.
D263,248 S	3/1982	Brine, Jr.	5,082,290 A	1/1992	Tucker et al.
4,351,528 A	9/1982	Duplin	5,275,407 A	1/1994	Soong
D277,691 S	2/1985	Rule	D350,999 S	9/1994	Chen
4,657,260 A	4/1987	Brine, Jr.	5,651,549 A	7/1997	Dill et al.
4,721,021 A	1/1988	Kusznir	5,651,744 A	7/1997	Millon et al.
4,739,994 A	4/1988	Lewis, Jr.	6,500,079 B1	12/2002	Tucker, Sr.
			6,752,730 B1	6/2004	Brine, Jr. et al.
			6,960,144 B2	11/2005	Tucker, Sr.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14