



US00D544968S

(12) **United States Design Patent**  
**Walters**

(10) **Patent No.:** **US D544,968 S**

(45) **Date of Patent:** **\*\* Jun. 19, 2007**

(54) **BRICK FORMLINER**

5,487,526 A 1/1996 Hupp  
5,667,190 A 9/1997 Scott et al.  
D479,614 S 9/2003 Scott et al.

(76) Inventor: **Marshall Gilbert Walters**, 228  
Camation La., Lehighon, PA (US)  
18235

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Louis S. Zarfaz  
*Assistant Examiner*—Anna Dworzecka

(21) Appl. No.: **29/241,725**

(74) *Attorney, Agent, or Firm*—McNees Wallace & Nurick  
LLC

(22) Filed: **Oct. 31, 2005**

(57) **CLAIM**

(51) **LOC (8) Cl.** ..... **25-99**

The ornamental design for a brick formliner, as shown.

(52) **U.S. Cl.** ..... **D25/199**

(58) **Field of Classification Search** ..... D25/199;  
249/188, 189, 13, 16, 35, 33, 61, 83, 97;  
52/320, 323, 322, 319, 749.1, 315, 356; D7/354;  
D15/136, 135

**DESCRIPTION**

See application file for complete search history.


FIG. 1 is a perspective view of a brick formliner showing my new design;  
FIG. 2 is a front view of the brick formliner of FIG. 1;  
FIG. 3 is a rear view of the brick formliner of FIG. 1;  
FIG. 4 is a right side view of the brick formliner of FIG. 1;  
FIG. 5 is a left side view of the brick formliner of FIG. 1;  
FIG. 6 is a top view of the brick formliner of FIG. 1; and,  
FIG. 7 is a bottom view of the brick formliner of FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,547,529 A \* 7/1925 Stanton ..... 249/119  
4,548,008 A 10/1985 Maeda  
4,555,088 A \* 11/1985 Chang ..... 249/192  
5,268,137 A 12/1993 Scott et al.  
D354,576 S 1/1995 Weinig  
D356,803 S \* 3/1995 Hupp ..... D15/136

**1 Claim, 4 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4 FIG-5



FIG-6



FIG-7