

US00D544994S

(12) **United States Design Patent** (10) **Patent No.:** **US D544,994 S**
Hargreaves (45) **Date of Patent:** **** Jun. 19, 2007**

(54) **LIGHT REFLECTOR**

(75) Inventor: **Craig Hargreaves**, Vancouver, WA
(US)

(73) Assignee: **IP Holdings, LLC**, Vancouver, WA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/216,803**

(22) Filed: **Nov. 10, 2004**

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/3,
D26/24, 42, 72, 75, 85, 113, 118, 119, 128;
362/219, 257, 260, 294, 317, 362, 368, 217
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,382 S * 10/1931 Guth D26/24
2,194,841 A * 3/1940 Welch 362/217
D177,532 S * 4/1956 Meyer et al. D26/128
3,025,391 A * 3/1962 Golko 362/221
D193,802 S * 10/1962 Thomsen et al. D26/128
3,125,301 A * 3/1964 Stotter 362/217
3,272,978 A * 9/1966 Jackson 362/408
4,078,169 A * 3/1978 Armstrong 362/122
4,669,033 A * 5/1987 Lee 362/217
4,814,954 A * 3/1989 Spitz 362/217
4,933,821 A * 6/1990 Anderson 362/223
5,132,885 A * 7/1992 Hocheim et al. 362/217
5,192,129 A * 3/1993 Figueroa 362/346

5,570,947 A * 11/1996 Felland 362/148
D376,437 S * 12/1996 Karlo et al. D26/28
D399,328 S * 10/1998 Compton D26/72
D415,304 S * 10/1999 Brown D26/87
D418,626 S * 1/2000 Herst et al. D26/118
6,053,624 A * 4/2000 Cronk 362/347
6,231,209 B1 * 5/2001 Leibig et al. 362/219
D445,943 S * 7/2001 Littman D26/87
6,257,735 B1 * 7/2001 Baar 362/217
D447,272 S * 8/2001 Smith D26/118
D456,938 S * 5/2002 Wardenburg D26/118
6,659,628 B2 * 12/2003 Gomez Del Campo 362/640

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K. Rudzinski

(74) *Attorney, Agent, or Firm*—Robert J. Ireland

(57) **CLAIM**

The ornamental design for a light reflector, as illustrated and described.

DESCRIPTION

FIG. 1 is a perspective view of the light reflector, according to the new and unique design;

FIG. 2 is a top view of the light reflector of FIG. 1;


FIG. 3 is a right side view of the light reflector of FIG. 1, the left side being a mirror image thereof;

FIG. 4 is a front view of the light reflector of FIG. 1;

FIG. 5 is a rear view of the light reflector of FIG. 1; and,

FIG. 6 is a bottom view of the light reflector of FIG. 1.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6