

US00D545265S

(12) **United States Design Patent** (10) **Patent No.:** **US D545,265 S**
Nishimori (45) **Date of Patent:** **** Jun. 26, 2007**

(54) **TIRE FOR AUTOMOBILE**

(75) Inventor: **Hiroyuki Nishimori**, Hyogo (JP)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/262,203**

(22) Filed: **Jun. 28, 2006**

(30) **Foreign Application Priority Data**

Jan. 19, 2006 (JP) 2006-001002

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579**

(58) **Field of Classification Search** D12/579,
D12/535, 536, 544, 571, 564, 565, 585, 597,
D12/600, 601, 603, 605; 152/209.1, 209.8,
152/209.18, 209.25, 209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D275,383 S *	9/1984	Stroble		D12/571
D288,423 S *	2/1987	Furusawa et al.		D12/544
D301,220 S	5/1989	Fujiki		D12/146
D301,442 S	6/1989	Fujiki		D12/146
D301,571 S	6/1989	Fujiki		D12/149
D301,852 S	6/1989	Fujiki		D12/146
D304,705 S	11/1989	Monta		D12/146
D304,707 S	11/1989	Monta		D12/149
D305,630 S *	1/1990	Shimamoto et al.		D12/512
D309,282 S	7/1990	Hasegawa		D12/146
D309,286 S	7/1990	Hasegawa		D12/149

D316,691 S 5/1991 Fujiki D12/146

D410,418 S 6/1999 Ito D12/140

D411,818 S 7/1999 Ito D12/140

D482,320 S * 11/2003 Nishimori D12/571

D483,002 S * 12/2003 Nishimori D12/506

D504,103 S * 4/2005 Nishimori D12/506

OTHER PUBLICATIONS

Dunlop KT165 Tire, 2005 Tread Design Guide, p. 200.*

Dunlop KT355 Tire, 2005 Tread Design Guide, p. 201.*

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Katrina A. Kile

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4