

US00D545463S

(12) **United States Design Patent**
Lin

(10) **Patent No.:** **US D545,463 S**
(45) **Date of Patent:** **** Jun. 26, 2007**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE FRONT LIGHT**

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Anthony King; WPAT, PC

(76) Inventor: **Yu-Chu Lin**, No. 477, Chung Shan N.
Rd., Yung Kang City, Tainan Hsien
(TW)

(57) **CLAIM**

I claim, the ornamental design for an exterior surface configuration of a vehicle front light, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/250,853**

DESCRIPTION

(22) Filed: **Dec. 1, 2006**

FIG. 1 is a perspective view from the front right of an exterior surface configuration of a vehicle front light showing my present design;

(51) **LOC (8) Cl.** **26-06**

FIG. 2 is a front view thereof;

(52) **U.S. Cl.** **D26/28**

FIG. 3 is a right view thereof; and,

(58) **Field of Classification Search** D26/28-36;
362/459-468, 475-478, 485-487

FIG. 4 is a top view thereof.

See application file for complete search history.

This design represents one embodiment of a design for an exterior surface configuration of a vehicle front light. The drawings and descriptions represent the right side embodiment. The design also contemplates a mirror symmetrical embodiment on the left side of the vehicle. The dash line included denotes environment and is not part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|--------|-------|-------|--------|
| D518,581 S * | 4/2006 | Osawa | | D26/28 |
| D526,728 S * | 8/2006 | Lin | | D26/28 |
| D528,231 S * | 9/2006 | Ikeda | | D26/28 |
| D529,208 S * | 9/2006 | Ikeda | | D26/28 |

* cited by examiner

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4