

US00D545532S

(12) **United States Design Patent**  
**Sawtelle et al.**

(10) **Patent No.:** **US D545,532 S**

(45) **Date of Patent:** **\*\* Jul. 3, 2007**

(54) **FOOT PAD**

(76) Inventors: **Alexis M. Sawtelle**, 5824 Hefner Village Ct., Oklahoma City, OK (US) 73162; **Mark A. Sawtelle**, 2224 Estes Dr., Harrison, AR (US) 72601

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/203,214**

(22) Filed: **Apr. 12, 2004**

(51) **LOC (8) Cl.** ..... **02-04**

(52) **U.S. Cl.** ..... **D2/947; D2/961**

(58) **Field of Classification Search** ..... D2/896, D2/947, 949, 950, 951, 953, 954, 956, 957, D2/959, 961, 962; 36/3 B, 14, 15, 22 R, 36/24.5, 25 R, 28, 32 R, 43, 71, 103, 104, 36/113, 114, 115, 134

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

82,946 A *	10/1868	Hay	.....	36/25 R
D167,533 S *	8/1952	Pastine	.....	D2/917
2,677,906 A *	5/1954	Reed	.....	36/153
2,748,503 A	6/1956	Scholl		
3,257,742 A *	6/1966	Feinberg	.....	36/44
4,017,931 A	4/1977	Golden		
4,115,934 A	9/1978	Hall		
D250,147 S *	11/1978	Waltl	.....	D2/959
D270,780 S *	10/1983	Hlustik	.....	D2/951
D275,525 S *	9/1984	Nakao et al.	.....	D2/918
4,651,354 A	3/1987	Petrey		
4,674,206 A *	6/1987	Lyden	.....	36/88
D300,082 S *	3/1989	Colclasure	.....	D2/917
D305,176 S *	12/1989	Campbell	.....	D2/916
4,967,419 A	11/1990	Elliott		
5,101,580 A *	4/1992	Lyden	.....	36/93

5,283,963 A *	2/1994	Lerner et al.	.....	36/28
5,325,537 A	7/1994	Marion		
5,378,223 A	1/1995	Grim et al.		
D395,336 S *	6/1998	Ball	.....	D2/947
5,978,962 A	11/1999	Hamowy		
D420,785 S *	2/2000	Perez	.....	D2/916
D424,791 S *	5/2000	Coleman	.....	D2/920
6,131,311 A	10/2000	Brown et al.		
D465,642 S *	11/2002	Petrovski	.....	D2/916
D465,906 S *	11/2002	Petrovski	.....	D2/916
2005/0000114 A1 *	1/2005	Mick et al.	.....	36/11.5

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Dana Sipos

(74) *Attorney, Agent, or Firm*—Donald R. Schoonover

(57) **CLAIM**

I claim the ornamental design for a foot pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a foot pad showing our new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof; and,

FIG. 8 is a bottom view thereof.

FIG. 1 through FIG. 8 depict views of the foot pad for a right foot; the corresponding views thereof for a left foot are mirror images thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6



FIG. 7



FIG. 8