



US00D545897S

(12) **United States Design Patent**  
**Oraha**

(10) **Patent No.:** **US D545,897 S**  
(45) **Date of Patent:** **\*\* Jul. 3, 2007**

(54) **COMBINATION PEN AND CORRECTION FLUID APPLICATOR**

(76) Inventor: **Youbert Oraha**, 459 Pettit Trail,  
Milton, Ontario (CA) L9T 6N9

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/237,444**

(22) Filed: **Aug. 31, 2005**

(51) **LOC (8) Cl.** ..... **19-06**

(52) **U.S. Cl.** ..... **D19/36**

(58) **Field of Classification Search** ..... D19/35,  
D19/36, 41-51, 54-57; 24/11 R, 11 F, 11 P;  
401/52, 99, 100, 104, 105, 106, 107, 108,  
401/109, 192, 195

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,823 S \* 9/1992 Francisco ..... D10/104

(Continued)

*Primary Examiner*—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Young & Basile, P.C.

(57) **CLAIM**

The ornamental design for a combination pen and correction fluid applicator, as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded front view of a first embodiment of a combination pen and correction fluid applicator showing my new design;

FIG. 2 is an exploded left side view of the combination shown in FIG. 1;

FIG. 3 is a left side view of the combination shown in FIG. 1;

FIG. 4 is an exploded rear view of the combination shown in FIG. 1;

FIG. 5 is a top plan view of the combination shown in FIG. 1;

FIG. 6 is a top plan view of the combination shown in FIG. 1 with the cap omitted for convenience of illustration;

FIG. 7 is a bottom plan view of the combination shown in FIG. 1 with the cap included;

FIG. 8 is a front exploded view of a second embodiment of a combination pen and correction fluid applicator showing my new design;

FIG. 9 is an exploded left side view of the combination shown in FIG. 8;

FIG. 10 is a left side view of the combination shown in FIG. 8;

FIG. 11 is an exploded rear view of the combination shown in FIG. 8;

FIG. 12 is a top plan view of the combination shown in FIG. 8;


FIG. 13 is a top plan view of the combination shown in FIG. 8 with the cap omitted for convenience of illustration;

FIG. 14 is a bottom plan view of the combination shown in FIG. 8 with the cap included;

FIG. 15 is an exploded isometric view of the combination shown in FIG. 1; and,

FIG. 16 is an exploded isometric view of the combination shown in FIG. 8.

**1 Claim, 3 Drawing Sheets**



# US D545,897 S

Page 2

---

## U.S. PATENT DOCUMENTS

D340,476 S	*	10/1993	Hiromori .....	D19/51	D474,506 S	*	5/2003	Rommel .....	D19/57
D423,580 S	*	4/2000	Ellison .....	D19/54	D484,540 S	*	12/2003	Bodino .....	D19/57
D446,546 S	*	8/2001	Tarento .....	D19/36	D506,499 S	*	6/2005	Qiu .....	D19/36
D459,226 S	*	6/2002	Guarnieri .....	D9/435	6,921,223 B2		7/2005	Marschand	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16