

US00D546183S

(12) **United States Design Patent**  
**Clutter**

(10) **Patent No.:** **US D546,183 S**

(45) **Date of Patent:** **\*\* Jul. 10, 2007**

(54) **BOTTLE**

(75) Inventor: **Brad M. Clutter**, Thornton, CO (US)

(73) Assignee: **Ball Corporation**, Broomfield, CO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/236,238**

(22) Filed: **Aug. 12, 2005**

(51) **LOC (8) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/500**

(58) **Field of Classification Search** ..... D9/500,  
D9/502-504, 516, 520, 529, 549-552, 557-558;  
215/379-382; 220/660-663, 669-671  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D16,864 S	8/1886	Hurley	
3,720,339 A	3/1973	Khetani	
3,811,588 A	5/1974	Vermeerbergen et al.	
3,881,621 A	5/1975	Adomaitis	
4,108,324 A	8/1978	Krishnakumar et al.	
D249,636 S *	9/1978	Wolstenholme	..... D9/500
4,134,510 A	1/1979	Chang	
4,231,483 A	11/1980	Dechenne et al.	
4,342,398 A	8/1982	Chang	
4,403,706 A	9/1983	Mahajan	
4,465,199 A	8/1984	Aoki	
4,525,401 A	6/1985	Pocock et al.	
D290,686 S	7/1987	Board	
4,889,752 A	12/1989	Beck	
4,989,738 A	2/1991	Thayer et al.	
D326,811 S	6/1992	Messer	
D330,334 S	10/1992	Rusnock et al.	
D373,729 S *	9/1996	Protheroe et al.	..... D9/500
D374,176 S	10/1996	Sillince et al.	
5,853,829 A	12/1998	Krishnakumar et al.	

D403,965 S *	1/1999	Bright et al.	..... D9/503
D407,648 S	4/1999	Glaser et al.	
D414,238 S *	9/1999	Kupperman	..... D22/146
D421,910 S *	3/2000	Warner et al.	..... D9/520
6,045,001 A	4/2000	Seul	
D434,985 S	12/2000	Colonna	
6,299,007 B1	10/2001	Takeuchi	
D459,655 S	7/2002	Darr et al.	
D467,804 S	12/2002	Restrepo	

(Continued)

**FOREIGN PATENT DOCUMENTS**

WO	DM/062281	*	12/2002
WO	DM/063368	*	4/2003
WO	DM/065799	*	7/2004

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Dana Sipos

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

I claim the ornamental design for a bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a side elevation view of a bottle showing the present invention, the opposite side being a mirror image thereof.

FIG. 2 is a plan view from the bottom of FIG. 1.


FIG. 3 is a plan view from the top of FIG. 1.

FIG. 4 is a fragmentary cross-sectional view taken along the line 4—4 of FIG. 2; and,

FIG. 5 is an elevated perspective view of the bottle shown in the previous Figures.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



# US D546,183 S

Page 2

---

## U.S. PATENT DOCUMENTS

D470,057 S	2/2003	Bowen			
6,516,963 B2	2/2003	Mihashi			
D472,811 S	4/2003	Deubel et al.			
D476,894 S *	7/2003	Masotta et al.	.....	D9/503	
D478,286 S	8/2003	Futral et al.			
					6,659,298 B2 12/2003 Wong
					D489,984 S 5/2004 Futral et al.
					D491,809 S 6/2004 Silvers et al.
					6,769,561 B2 8/2004 Futral et al.
					D531,048 S * 10/2006 Krause ..... D9/652

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5