



US00D546490S

(12) **United States Design Patent**  
**Brown et al.**

(10) **Patent No.:** **US D546,490 S**

(45) **Date of Patent:** **\*\* Jul. 10, 2007**

(54) **LIGHTING DEVICE**

(75) Inventors: **John R. Brown**, Mosman (AU); **Jose Romagnoli**, Redfern (AU); **Angelo Kotsis**, Marrickville (AU)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,711**

(22) Filed: **Sep. 27, 2006**

(51) **LOC (8) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/42**

(58) **Field of Classification Search** ..... D26/37-50,  
D26/42; 362/157, 158, 171-174, 181-208  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D443,372 S *	6/2001	Yuen	.....	D26/42
D487,162 S *	2/2004	Lap Hon	.....	D26/37
D491,682 S *	6/2004	Hirano	.....	D26/42
D532,540 S *	11/2006	Cohen	.....	D26/42

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a left perspective view of the lighting device of the present invention;

FIG. 2 is a top view of the lighting device of the present invention;

FIG. 3 is a bottom view of the lighting device of the present invention;

FIG. 4 is a right side view of the lighting device of the present invention;


FIG. 5 is a left side view of the lighting device of the present invention;

FIG. 6 is a front view of the lighting device of the present invention; and,


FIG. 7 is a rear view of the lighting device of the present invention.

**1 Claim, 6 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*




Fig. 7