

US00D546495S

(12) **United States Design Patent** (10) **Patent No.:** **US D546,495 S**  
**Barbeau et al.** (45) **Date of Patent:** **\*\* Jul. 10, 2007**

(54) **LIGHT**  
(75) Inventors: **Stefane Barbeau**, Roxbury, MA (US);  
**Duane Smith**, Roxbury, MA (US);  
**Daniel Reilly**, Jamaica Plain, MA (US)

(73) Assignee: **Helen of Troy Limited**, St. Michael  
(BB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/264,509**

(22) Filed: **Aug. 11, 2006**

**Related U.S. Application Data**

(63) Continuation of application No. 10/989,199, filed on Nov. 15, 2004, which is a continuation-in-part of application No. 10/292,007, filed on Nov. 9, 2002, now Pat. No. 6,819,080, which is a continuation-in-part of application No. 09/885,848, filed on Jun. 20, 2000, now Pat. No. 6,479,965.

(51) **LOC (8) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/104**

(58) **Field of Classification Search** ..... D26/25,  
D26/37, 93-112; 362/20, 184, 187-191,  
362/410-415, 810, 192-194, 806; 320/114-116  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,373,274 A 3/1968 Knott  
3,418,552 A 12/1968 Holmes  
3,576,990 A 5/1971 Johnston et al.  
4,029,954 A 6/1977 Moyer  
5,535,108 A 7/1996 Logsdon

5,662,406 A 9/1997 Mattice et al.  
5,748,080 A 5/1998 Clay  
5,754,124 A 5/1998 Daggett et al.  
6,000,811 A 12/1999 Bordak  
6,605,900 B2 8/2003 Chien  
D486,787 S 2/2004 Krieger et al.  
D492,443 S 6/2004 Smith et al.  
D495,819 S 9/2004 Krieger et al.  
D498,857 S 11/2004 Smith et al.  
D501,271 S 1/2005 Barbeau et al.  
7,011,426 B2 3/2006 Gabor  
7,029,146 B2 4/2006 Kitchen  
D530,040 S 10/2006 Smith et al.  
2004/0037069 A1 2/2004 Blackburn  
2004/0252492 A1 12/2004 Peterson  
2005/0194930 A1 9/2005 Barbeau et al.  
2005/0196716 A1 9/2005 Haab et al.  
2005/0239007 A1 10/2005 Dell'Aquila et al.

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Linda Brooks  
(74) *Attorney, Agent, or Firm*—Seyfarth Shaw LLP


(57) **CLAIM**

The ornamental design for the light, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light showing our new design;  
FIG. 2 is a first side view of the light of FIG. 1, an opposite side thereto being a mirror image thereof;  
FIG. 3 is a second side view of the light of FIG. 1, an opposite thereto being a mirror image thereof;  
FIG. 4 is a bottom view of the light of FIG. 1; and,  
FIG. 5 is a top view of the light of FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3



**FIG. 4**



**FIG. 5**