



US00D546663S

(12) **United States Design Patent**
Recknagel et al.

(10) **Patent No.:** **US D546,663 S**

(45) **Date of Patent:** **** Jul. 17, 2007**

(54) **RECEIVER PIN**

(75) Inventors: **Jim Recknagel**, Delafield, WI (US);
Ken Burmesch, Port Washington, WI
(US); **Chris Irgens**, Elm Grove, WI
(US); **Rolf Hohmann**, Menomonee
Falls, WI (US); **Mark Van Handel**,
Madison, WI (US); **Gary Burmesch**,
Port Washington, WI (US); **Victor Yip**,
Chi Fu Fa Yuen (HK); **Kerry Jacques**,
Wind Lake, WI (US); **John Zapushek**,
Racine, WI (US)

1,566,473 A	12/1925	Gibson
2,224,522 A	12/1940	Peterson
2,541,638 A	2/1951	Clevett
2,677,261 A	5/1954	Jacobi
3,176,007 A	3/1965	Tuschhoff
3,197,239 A	7/1965	Jezek, Jr.
3,200,690 A *	8/1965	Dickman 411/337
3,453,846 A	7/1969	Owen et al.
3,559,429 A	2/1971	Hermann
3,652,114 A	3/1972	Cady et al.
3,673,910 A	7/1972	Collister

(73) Assignee: **Master Lock Company LLC**, Oak
Creek, WI (US)

(Continued)

(**) Term: **14 Years**

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold,
LLP

(21) Appl. No.: **29/251,785**

(57) **CLAIM**

(22) Filed: **Jan. 12, 2006**

The ornamental design for a receiver pin, as shown and
described.

Related U.S. Application Data

(62) Division of application No. 29/193,055, filed on Nov.
3, 2003, now Pat. No. Des. 524,144.

DESCRIPTION

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/339; D8/341; D8/331**

(58) **Field of Classification Search** D8/330,
D8/331, 339, 341, 343, 347, 338; 70/14,
70/26, 39, 33, 34, 51, 52, 58, 91, 181, 208,
70/232, 431, 378, 372, DIG. 23, DIG. 25;
292/86, 42, 119, 156; 403/321, 324, 322.3,
403/322.4; 411/337, 350, 340-345

See application file for complete search history.

FIG. 1 is a perspective view of a receiver pin showing our
new design;

FIG. 2 is a top view of the design shown in FIG. 1;

FIG. 3 is a side view of the design shown in FIG. 1;

FIG. 4 is a bottom view of the design shown in FIG. 1;

FIG. 5 is a back view of the design shown in FIG. 1;

FIG. 6 is a side view of the design shown in FIG. 1; and,

FIG. 7 is a front view of the design shown in FIG. 1.


The broken line environmental is for illustrative purpose
only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

325,221 A 8/1885 Wright

1 Claim, 3 Drawing Sheets



US D546,663 S

U.S. PATENT DOCUMENTS				
		5,152,160 A	10/1992	Lentini
3,721,112 A	3/1973 Wellekens	5,197,314 A	3/1993	Stillwagon et al.
3,783,657 A	1/1974 Foote	5,216,903 A	6/1993	Chen
3,843,160 A	10/1974 Frushour et al.	5,269,161 A	12/1993	Stillwagon
3,854,371 A *	12/1974 Lamothe 411/337	5,272,894 A	12/1993	Stillwagon et al.
3,861,267 A	1/1975 Collister	5,284,038 A	2/1994	Johnson
3,902,339 A	9/1975 Carley et al.	5,437,515 A	8/1995	Kuramoto
3,908,415 A	9/1975 Foote	5,447,045 A	9/1995	Cheng
3,911,761 A	10/1975 Cornellier	5,467,619 A	11/1995	Stillwagon et al.
3,963,264 A	6/1976 Down	5,507,611 A	4/1996	Collister
3,999,414 A	12/1976 Leitner	5,540,065 A	7/1996	Wyers
4,141,232 A	2/1979 Kelly	5,664,445 A	9/1997	Chang
4,198,026 A	4/1980 Capolupo	5,676,258 A	10/1997	Leyden et al.
D255,772 S	7/1980 Johnson et al.	5,682,775 A	11/1997	Baber
4,226,100 A	10/1980 Hampton et al.	5,794,465 A	8/1998	Hill
4,236,395 A	12/1980 Avaiusini	5,865,559 A	2/1999	Yang
4,277,961 A	7/1981 Williams	6,055,832 A	5/2000	Wyers
4,298,212 A	11/1981 Jamison	D428,795 S	8/2000	Wyers
4,438,642 A	3/1984 De Jong	6,145,866 A	11/2000	Peter
4,440,005 A	4/1984 Bulle	6,193,260 B1	2/2001	Homan et al.
4,576,021 A	3/1986 Holden	D439,827 S	4/2001	Wyers
D283,199 S	4/1986 Ostergren	D444,050 S	6/2001	Wyers
4,619,122 A	10/1986 Simpson	D447,043 S	8/2001	Wyers
4,637,234 A	1/1987 Mielonen	6,409,283 B1	6/2002	Hsieh
4,711,106 A	12/1987 Johnson	6,425,272 B1	7/2002	Chen
4,730,468 A	3/1988 Becker	D461,392 S	8/2002	Zapushek
4,732,019 A	3/1988 Tolar	6,575,000 B1	6/2003	Li
4,844,498 A	7/1989 Kerins et al.	6,672,115 B2	1/2004	Wyers
4,888,967 A	12/1989 Kuo	6,732,617 B2 *	5/2004	Steinweg et al. 81/423
4,964,285 A	10/1990 Lakoski et al.	6,792,836 B1 *	9/2004	Wang 81/177.85
5,004,133 A	4/1991 Wyers	D501,131 S	1/2005	Oskamp et al.
5,022,243 A	6/1991 Embry et al.	D511,292 S	11/2005	Hohmann et al.
5,027,630 A	7/1991 Stillwagon et al.	7,001,126 B2 *	2/2006	Lesecq 411/340
5,050,413 A	9/1991 Stillwagon et al.			
5,063,763 A	11/1991 Johnson			

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4

FIG. 5



FIG. 6




FIG. 7

